

EST. 1969

SWS

WARNING LIGHTS INC.

WHAT PROS USE

PRODUCT GUIDE 2026

warninglightsinc.com



TABLE OF CONTENTS

Collab	2
Meet the Team	3
Product Tiers	4
■ Arrow Boards	7
■ Traffic Arrow Packages	15
■ Traffic Arrows	19
■ Split Traffic Arrows	25
■ Traffic Director Packages	31
■ Traffic Directors	35
■ Split Traffic Directors	45
■ Warning Sticks	51
■ Snow Plow	55
■ Controllers and Switches	63
■ Perimeter Lights	71
■ Exterior Lights	83
■ Work Lights	87
■ Alarms	95
■ Interior Lights	99
■ Large Light Bars	103
■ Minibars	109
■ Beacons	119
■ USB and AC Solutions	133
■ Temporary Mounting Solutions and Kits	137
■ Mounting Solutions	143
■ Cables	153
Warranty	156
Notes	157
Index	159



**PROUDLY CANADIAN
OWNED & OPERATED**



COLLABORATING FOR SUCCESS

At **SWS Warning Lights Inc.**, we pride ourselves on being a service-driven company with 5 decades of experience in supplying vehicle-mounted traffic control signals and warning lights. Our commitment to client collaboration and co-design ensures that our products meet your specific needs. We believe in forming strong partnerships where you take ownership of the design process, guaranteeing that your solution is exactly what you require.



KEY FEATURES OF OUR COLLABORATION APPROACH:

Client-Centered Design:

Work directly with our engineers to tailor solutions that fit your exact specifications.

Online Client Portals:

Browse and shop products tailored to your needs, stay updated on the latest arrivals, and collaborate in our workshop.

Personal Relationships:

Assigned SWS representatives build personal relationships with you, ensuring we fully understand your requirements.

Engineering Support:

Our engineering team is always available to assist in building your project.

Client Ownership:

Take ownership of your design with access to our engineering team and custom solutions.

Effective Communication:

We prioritize listening over talking and ask the right questions to understand your needs.

YOUR VISION, OUR EXPERTISE SWS PRO WORKSHOP

At **SWS Pro Workshop**, we believe the best solutions start with you. If you need a custom warning light solution that doesn't exist yet, we're here to make it happen. Share your ideas, and our expert team will collaborate with you to design, modify, or build a product tailored to your needs.

Together, we can create safer roads, more efficient worksites, and better tools for the job. Tell us what you need, and let's bring your vision to life.



**Submit your request today
by scanning the QR code**

**For more information and to explore our solutions,
visit our website at warninglightsinc.com
or give us a call at 1.877.357.0222**

Follow us:     

MEET YOUR TEAM



Your team is here to support all your needs and provide you with customized solutions tailored to your specific requirements. Whether you're looking for product recommendations, assistance with your order, or personalized advice, we're committed to going the extra mile to ensure your satisfaction!



Matt Beattie
Factory Representative and
Solutions Advisor
✉ m.beattie@warninglightsinc.com
📞 Ext.228
📱 905-351-0489



Matt Venutolo
Factory Representative and
Solutions Advisor
✉ mattv@warninglightsinc.com
📞 Ext.205
📱 289-257-0554



Colin Moore
Factory Representative and
Solutions Advisor
✉ c.moore@warninglightsinc.com
📞 Ext.227
📱 365-324-0222



Cameron Robertson
Factory Representative and
Solutions Advisor
✉ cameron@warninglightsinc.com
📞 Ext.212
📱 548-328-7695



Maggie Gualandi
General Manager
✉ maggie@warninglightsinc.com
📞 Ext.203
📱 289-969-6684



Elsie MacMillan
Client Experience Lead
✉ elsie@warninglightsinc.com
📞 Ext.209



Rainier Chua
Product Manager
✉ rainier@warninglightsinc.com
📞 Ext.229

— EST. 1969 —

SWS

WARNING LIGHTS INC.

All tiers offer high-performance products designed for durability and easy installation, reducing the need for replacements and repairs. We guarantee a long lifespan and a positive return on investment.

Need help to choose?

Our team is always ready to assist you in making the perfect choice for your unique requirements. We're committed to your success.



SELECT

- Entry-level option with essential features.
- Temporary mounting solutions available for flexible operations.
- Products are designed to be efficient and reliable.



FLEET

- Temporary mounting solutions available for adaptable usage.
- Manual Dim available, adding an extra layer of functionality.
- Warranty provides longer protection for your investment.



FLEET PLUS

- Dual colour options available for added customization.
- Maximum flash patterns, enhancing functionality.
- Certification for premium efficiency and reliability.
- AutoDim and Manual Dim available, increasing control.
- BatteryCheck feature to always keep you informed about your product's state.
- Synchronization available software offers streamlined operations.
- Offers an impressive warranty for the utmost confidence in your investment.



ARROW BOARDS



⚠ DANGER
ELECTROCUSSION HAZARD
KEEP CLEAR OF TRUCK AND LOAD

CAUTION
THIS VEHICLE
MAKES
FREQUENT STOPS

⚠ DANGER
ELECTROCUSSION HAZARD
KEEP CLEAR OF TRUCK AND LOAD

⚠ DANGER
ELECTROCUSSION HAZARD
KEEP CLEAR OF TRUCK AND LOAD

⚠ DANGER
ELECTROCUSSION HAZARD
KEEP CLEAR OF TRUCK AND LOAD

EST. 1969
SWS

WARNING LIGHTS INC.

TC - 12

FULLY AUTOMATED ARROW BOARD FOR RACK MOUNT

Conforms to the Ontario Traffic Manual Book 7



Features:

- Automated Arrow Wings
- Actuators (1 year warranty)
- TC-12 Truck Bed Rack Mount #985BR-01 (sold separately)
- IP67 and IP69K LED modules
- Industry standard grommet mount LED modules
- Dual optic lens for short and long range
- Polycarbonate UV Protected Lens
- AutoDim and Manual Dim
- DT Style connectors
- Anodized Aluminum with 3M retro reflective material



In-Cab Controller
(included)
77506
(3 Year Warranty)




Part #	Amps	Lumens	# Modules	Flash Patterns	Dimension	Mounting	Hardware
55100	4.2	4320	14	6	63" x 33"	Rack-Mounted	Stainless Steel



No need to search,
just scan the QR code to visit
the product page instantly!

Top Seller



Recommended Cable, Mounting and Replacement Solutions

Sold Separately

Main Power Cable

Part #	Length
✓ 77250	20'
77251	30'
77252	40'
77253	50'



Pin Connector
DT Style 3 Position

Truck Bed
Rack Mount
985BR-01



Replacement
Module
79909



Replacement
77506 Controller
Connector
88050




UTILITY TC-12

ARROW BOARD

Conforms to the Ontario Traffic Manual Book 7

SELECT



- Features:**
- IP67 and IP69K LED modules
 - Polycarbonate lens with UV Protection
 - AutoDim
 - DT Style Connectors
 - Anodized aluminum with 3M retro reflective material
 - Magnetized arrow flaps
 - Manually select pattern (Left, Right, Warning bar)



Part #	Amps	Lumens	# Modules	Weight	Length	Height	Hardware
55010	4.2	4320	12	28 Lbs	31"	25"	Stainless Steel

Cable, Controller, Mounting & Replacement Options

Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'

L Bracket Kit 98000

On/off switch 766150

Replacement Module 79909

Pin Connector DT Style 3 Position





No need to search, just scan the QR code to visit the product page instantly!



Top Seller

THE NOVA ARROW BOARD

SELECT



67301



Features:

- IP67 and IP69K LED modules
- Polycarbonate lens with UV protection
- AutoDim and Manual Dim
- DT Style Connectors
- Anodized Aluminum
- Built in 40' cable per board
- Comes as a set of 2 boards
- Multi-lane one way street director

6 Flash Patterns:

- Left (X2)
- Right (X2)
- Combined warning flash (X2)



In-Cab Controller
(included)
77506
(3 Year Warranty)



Part #	Amps	Lumens	# Modules per board	Length	Height	# of Patterns	77506 Controller Channel
67301	4.2	4320	10	22.20"	44.20"	6	B

Recommended Mounting and Replacement Solutions *Sold Separately*



Replacement
Module
79871



Replacement
77506 Controller
Connector
88050




No need to search,
just scan the QR code to visit
the product page instantly!

ARROW BOARDS

54000 SERIES

TRAFFIC ARROWS



54000

Features:

- Conforms to the Ontario Traffic Manual Book 7 and most provincial standards
- IP67 and IP69K LED modules
- MUTCD and CA13 compliant modules
- Polycarbonate UV Protected
- AutoDim and Manual Dim
- DT Style Connectors
- UV stabilized, impact resistant ABS plastic body

54010

Features:

- Meets specifications for The Ministry of Transportation of Quebec, paragraph 4.37-1 Volume 5
- IP67 and IP69K LED modules
- MUTCD and CA13 compliant modules
- Polycarbonate UV Protected
- AutoDim
- DT Style Connectors
- UV stabilized, impact resistant ABS plastic body



For 54000:



In-Cab Controller
(included)
77506
(3 Year Warranty)



For 54010:



Switch (included)
766155
(3 Year Warranty)




Part #	Amps	Lumens	# of Modules	Weight	Dimensions (inches) H x L x W	Dimensions (millimeters) H x L x W	# of Patterns
54000	5.2	4680 Max	15	25 Lbs	32.625"x62.5"x4.375"	828.68x1587.5 x111.125	7
54010							3



No need to search,
just scan the QR code to visit
the product page instantly!

Top Seller



54000 7 Flash Patterns:



54010 3 Flash Patterns:



Cable, Mounting & Replacement Options

Sold Separately

Main Power Cable

Part #	Length
✓ 77250	20'
77251	30'
77252	40'
77253	50'



Pin Connector
DT Style 3 Position



Universal Arrow
Bracket Kit
98045



Back Rack
Extension
98043



Replacement
Module
79871



Replacement
77506 Controller
Connector
88050

TRAFFIC ARROW PACKAGES





EST. 1969
SWS

WARNING LIGHTS INC.

One-Box Convenience – Everything you need

TITAN ARROW PACKAGES

TRAFFIC ARROW + CONTROLLER + 40' CABLE

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point
- In-cab controller included
- Built-in 40' cable included

LED Modules available:



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	# of Modules per arm	Amps	77506 Controller Channel	Controller Included	40' Built-in cable included
	Length	Height	Length	Height							
T48140	46.625	12.5	1184.28	317.5		8	1	0.5-4	8	Yes	Yes
T48240		22		558.8			2	0.5-5.5			
T48340		30.5		774.7			3	0.5-6.5			
T60340	58.125		1476.38			10		1-7			
T72340	73		1854.2			12		1-8			

Recommended Mounting and Replacement Solutions

Sold Separately



Universal Arrow Bracket Kit 98045



L Bracket Kit 98000



Replacement Modules

79906 Amber module with 4" leads
79906-26 Amber module with 26" leads



Mounting Bracket Kit 98084
48" Titan and Orion Arrows to standard Backrack



Back Rack Extension 98043



Replacement Clips 79915
Set of 5



Replacement 77506 Controller Connector 88050



No need to search, just scan the QR code to visit the product page instantly!

✓ Top Seller


One-Box Convenience – Everything you need

TITAN
S E R I E S

SPLIT TITAN ARROW PACKAGES

SPLIT TRAFFIC ARROW + CONTROLLER + 40' CABLE + 10' INTERCONNECT CABLE

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point
- In-cab controller included
- Built-in 40' cable and interconnect Cable 10' included

LED Modules
available:




**SAE
CLASS
1**



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft (per half)	# of Modules per arm (per half)	Amps	77506 Controller Channel	Controller included	40' Built-in cable included	Interconnect cable included
	Length	Height	Length	Height								
✓ TS18140-10	20	12.5	508	317.5	Amber	3	1	0.5-3.5	8	Yes	Yes	Yes

Recommended Mounting and Replacement Solutions

Sold Separately



No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

TRAFFIC ARROWS






EST. 1969
SWS

WARNING LIGHTS INC.

57700 SERIES TITAN TRAFFIC ARROWS

FLEET



57760-3 ✓

Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point

7 Flash Patterns:

- Left (X2)
- Right (X2)
- Centre Out
- Warning
- Wig-Wag

LED Modules
available:



Controller & Cable Options
Sold Separately

Standard Controller



In-Cab Controller
77506 ✓
(3 Year Warranty)

Optional Controller



Outdoor Rated Switch Box
77504
*4 patterns only
(3 Year Warranty)

Main Power Cable
to be used with 77506

Part #	Length
✓ 77260	20'
77261	30'
77262	40'
77263	50'
77257	60'
77258	70'
77259	80'



Socket Connector
DT Style 12 Position

Main Power Cable
to be used with 77504

Part #	Length
✓ 77270	10'
77271	20'
77272	30'
77273	40'




Socket Connector
DT Style 12 Position



No need to search,
just scan the QR code to visit
the product page instantly!


✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# Of Modules in Shaft	# Of Modules Per Arm	Amps	77506 Controller Channel
	Length	Height	Length	Height					
57724-1	27	12.5	685.8	317.5	Amber	4	1	0.5-2.5	8
57724-2		22	685.8	558.8			2	0.5-3.5	
57730-1	32.75	12.5	831.85	317.5		5	1	0.5-3	9
57730-2		22	831.85	558.8			2	0.5-4	
57730-3		30.5	831.85	774.7			3	0.5-5	
57736-1	38.5	12.5	977.9	317.5		6	1	0.5-3.5	8
57736-2		22	977.9	558.8			2	0.5-4.5	
57736-3		30.5	977.9	774.7			3	0.5-5.5	
57742-1	44.25	12.5	1123.95	317.5		7	1	0.5-4	9
57742-2		22	1123.95	558.8			2	0.5-5	
57742-3		30.5	1123.95	774.7			3	0.5-6	
57748-1	50	12.5	1270	317.5		8	1	0.5-4.5	8
57748-2		22	1270	558.8			2	0.5-5.5	
57748-3		30.5	1270	774.7			3	0.5-6.5	
57754-1	55.75	12.5	1416.05	317.5		9	1	1-4.5	9
57754-2		22	1416.05	558.8			2	1-5.5	
57754-3		30.5	1416.05	774.7			3	1-6.5	
57760-1	61.5	12.5	1562.1	317.5		10	1	1-5	8
57760-2		22	1562.1	558.8			2	1-6	
57760-3		30.5	1562.1	774.7			3	1-7	
57766-1	67.25	12.5	1708.15	317.5		11	1	1-5.5	9
57766-2		22	1708.15	558.8			2	1-6.5	
57766-3		30.5	1708.15	774.7			3	1-7.5	
57772-1	73	12.5	1854.2	317.5		12	1	1-6	8
57772-2		22	1854.2	558.8			2	1-7	
57772-3		30.5	1854.2	774.7			3	1-8	

Recommended Mounting and Replacement Solutions

Sold Separately



Top Seller

TRAFFIC ARROWS

ORION TRAFFIC ARROWS

FLEET

**7 Flash Patterns:**

- Left (X2)
- Right (X2)
- Centre Out
- Warning
- Wig-Wag

Features:

- Fully encapsulated LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- Twistlock connectors
- Anodized aluminum body
- T-Slot Mount with easy access point
- In-cab controller included

LED Colours
available:

Cable Options
Sold Separately

Main Power Cable

Part #	Length
✓ 77200	20'
77201	30'
77202	40'
77203	50'
77204	60'
77205	70'




Socket Connector
Twistlock 9 Position



Curious about this product?
Scan the QR code to check out
its full potential!


✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	# of Modules per Arm	Amps	77506 Controller Channel			
	Length	Height	Length	Height								
58008	30	10	762	254	 Amber	8	1	0.1-0.8	8			
58014	36		914					0.2-1.3				
58000	48	15.5	1219	393.7		2	0.2-1.5					
58002				533.4		3	0.2-1.7					
58084				21		533.4	1	0.2-1.3				
58018	54	10	1371.6	254		0.2-1.5						
58019		15.5		393.7		0.2-1.3						
58001	60	10	1524	254		2	0.2-1.5					
58003		15.5		393.7		1	0.2-1.3					
58022		10		254		3	0.2-1.8					
58086		21		533.4		2	0.2-1.7					
58087	66	10	1676.4	254		14	1	0.2-1.5				
58024	72	15.5	1828.8	393.7				0.2-1.8				
58025												

Recommended Mounting and Replacement Solutions

Sold Separately





SPLIT TRAFFIC ARROWS



EST. 1969

SWS

WARNING LIGHTS INC.

57800 SERIES TITAN SPLIT TRAFFIC ARROWS

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point

LED Modules
available:



Controller & Cable Options
Sold Separately

Standard Controller



In-Cab Controller
77506 ✓
(3 Year Warranty)

Optional Controller



Outdoor Rated Switch Box
77504
*4 patterns only
(3 Year Warranty)

Main Power Cable
to be used with 77506

Part #	Length
✓ 77260	20'
77261	30'
77262	40'
77263	50'
77257	60'
77258	70'
77259	80'



Interconnect Cable
required to be used
between arrow halves
*also used as main
power cable with 77504

Part #	Length
✓ 77270	10'
77271	20'
77272	30'
77273	40'




Note: 77504 requires two 7727X cables: One to connect to the switch box and one to interconnect the two arrow halves



Get instant access to the
product details, specs, and pricing
just scan the QR code!


✓ Top Seller



Part #	Dimensions (inches) Per Half		Dimensions (millimeters) Per Half		Flash	# Of Modules in Shaft Per Half	# Of Modules Per Arm	Amps	77506 Controller Channel
	Length	Height	Length	Height					
✓ 57818-1	20	12.5	508	317.5	Amber	3	1	0.5-3.5	8
57818-2		22		558.8			2	0.5-4.5	
57818-3		30.5		774.7			3	0.5-5.5	
57824-1	26	12.5	660.4	317.5		4	1	0.5-4.5	
57824-2		22		558.8			2	0.5-5.5	
57824-3		30.5		774.7			3	0.5-6.5	
57830-1	31.75	12.5	806.45	317.5		5	1	1-5.5	
57830-2		22		558.8			2	1-6.5	
57830-3		30.5		774.7			3	1-7.5	
57836-1	37.5	12.5	952.5	317.5		6	1	1-6.5	
57836-2		22		558.8			2	1-7.5	
57836-3		30.5		774.7			3	1-8.5	

Recommended Mounting and Replacement Solutions

Sold Separately




Replacement Modules



ORION SPLIT TRAFFIC ARROWS

FLEET

**Features:**

- Fully encapsulated LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- Twistlock connectors
- Anodized aluminum body
- T-Slot Mount with easy access point
- Built in 10 foot cable between arrow halves included
- In-cab controller included

LED Colours
available:

Cable Options
Sold Separately

Main Power Cable

Part #	Length
✓ 77200	20'
77201	30'
77202	40'
77203	50'
77204	60'
77205	70'




Socket Connector
Twistlock 9 Position



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller




58056

Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft per half	# of Modules per Arm	Amps	77506 Controller Channel
	Length	Height	Length	Height					
58050	12	10	304.8	254	 Amber	3	1	0.1-1.1	8
58055	15		381	393.7		4		2	
58056		533.4		3			0.1-1.2		
58057		21		3			0.1-1.4		

Recommended Mounting and Replacement Solutions

Sold Separately



TRAFFIC DIRECTOR PACKAGES





EST. 1969

SWS

WARNING LIGHTS INC.

TITAN TRAFFIC DIRECTOR PACKAGES

TRAFFIC DIRECTOR + CONTROLLER + BUILT-IN CABLE

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized Aluminum Body
- T-Slots with easy access point
- In-cab controller included

LED Modules available:




Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps	77506 Controller Channel	Controller Included	40' Built-in cable included
	Length	Height	Length	Height						
57136	36	2.1	914.4	53.34	Amber	6	0.8-2.7	0	Yes	Yes
57148	46.625		1184.28			8				



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



Mounting & Replacement Options

Sold Separately



- Replacement Modules**
- 79906** Amber module with 4" leads
 - 79906-26** Amber module with 26" leads



- Replacement
77506 Controller
Connector
88050**



- Replacement Clips
79915
Set of 5**

TRAFFIC DIRECTOR





EST. 1969
SWS

WARNING LIGHTS INC.

57400 SERIES TITAN TRAFFIC DIRECTORS

FLEET PLUS



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual and AutoDim
- Cargo Lights
- DT Style Connectors
- Anodized Aluminum Body
- T-Slots with easy access point
- In-cab controller included

LED Modules
available:



Mounting, Replacement & Cable Options

Sold Separately

Main Power Cable
to be used with 77506

Part #	Length
✓ 77265	20'
77266	30'
77267	40'
77268	50'



L Bracket Kit
98000




Replacement Modules



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller




Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps	77506 Controller Channel
	Length	Height	Length	Height				
57424	23.6	2.1	599.44	53.34	 Amber	4	0.25-2	0
57430	29.4		747			5	0.25-2.5	1
57436	35.1		892			6	0.25-3	0
57442	40.9		1,039			7	0.5-3.5	1
57448	46.6		1,184			8	0.5-4	0
57454	52.4		1,331			9	0.5-4.5	1
57460	58.1		1,476			10	0.5-5	0
57466	63.9		1,623			11	0.5-5.5	1
57472	72		1829			12	0.5-6	0

FLEET PLUS - ST (Stop Turn)

This version contains Stop/Turn Indicator modules as well as cargo lights



57448-ST	46.6	2.1	1,184	54	 Amber	8	0.5-4	0
----------	------	-----	-------	----	---	---	-------	---



5 Flash Patterns:

- Left • Centre Out • Wig-Wag
- Right • Warning

Mounting, Replacement & Cable Options *Sold Separately*



L Bracket Kit
98000

Main Power Cable
to be used with 77506



Part #	Length
77265-ST	20'
77266-ST	30'
77267-ST	40'
77268-ST	50'



Replacement Modules

- 79906** Amber module with 4" leads
- 79906-26** Amber module with 26" leads



Replacement
77506 Controller
Connector
88050



Socket Connector
DT Style 12 Position



Replacement Clips
79915
Set of 5



Top Seller

57300 SERIES TITAN TRAFFIC DIRECTORS

TITAN
SERIES

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point

LED Modules
available:



Controller & Cable Options *Sold Separately*

Standard Controller



**In-Cab Controller
77506** ✓
(3 Year Warranty)

Optional Controller



**Outdoor Rated Switch Box
77504**
*4 patterns only
(3 Year Warranty)

Main Power Cable to be used with 77506

Part #	Length
✓ 77260	20'
77261	30'
77262	40'
77263	50'
77257	60'
77258	70'
77259	80'



Socket Connector
DT Style 12 Position

Main Power Cable to be used with 77504

Part #	Length
✓ 77270	10'
77271	20'
77272	30'
77273	40'





Socket Connector
DT Style 12 Position



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps	77506 Controller Channel
	Length	Height	Length	Height				
57324	23.625	2.125	600	54	 Amber	4	0.25-2	0
57330	29.375		746			5	0.25-2.5	1
57336	35.125		892			6	0.25-3	0
57342	40.875		1,038			7	0.5-3.5	1
57348	46.625		1,184			8	0.5-4	0
57354	52.375		1,330			9	0.5-4.5	1
57360	58.125		1,356			10	0.5-5	0
57366	63.875		1,622			11	0.5-5.5	1
57372	69.625		1,768			12	0.5-6	0

Recommended Mounting and Replacement Solutions

Sold Separately



79906 Amber module with 4" leads
79906-26 Amber module with 26" leads



Replacement
 77506 Controller
 Connector
88050



Replacement Clips
79915
 Set of 5

57200 SERIES TITAN TRAFFIC DIRECTORS

TITAN
S E R I E S

SELECT



3 Flash Patterns:

- Left
- Right
- Centre Out

Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- DT Style Connectors
- Anodized Aluminum Body
- T-Slots with easy access point
- Switch included



Switch (included)
766155
(3 Year Warranty)

LED Modules
available:



Mounting & Cable Options

Sold Separately

Main Power Cable

Part #	Length
✓ 77250	20'
77251	30'
77252	40'
77253	50'





Pin Connector
DT Style 3 Position

L Bracket Kit 98000



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps
	Length	Height	Length	Height			
57224	23.625	2.125	600	54	 Amber	4	0.25-2
57230	29.375		746			5	0.25-2.5
57236	35.125		892			6	0.25-3
57248	40.875		1,038			8	0.5-4



Replacement Options

Sold Separately

Replacement Modules



79906 Amber module with 4" leads
79906-26 Amber module with 26" leads



Replacement Clips
79915
 Set of 5

59000 SERIES ORION TRAFFIC DIRECTORS

ORION

FLEET



Features:

- Fully encapsulated LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- Twistlock connectors
- Anodized aluminum body
- T-Slot Mount with easy access point
- In-cab controller included

LED Colours
available:



Mounting, Cable & Replacement Options

Sold Separately

Main Power Cable

Part #	Length
✓ 77200	20'
77201	30'
77202	40'
77203	50'
77204	60'
77205	70'



Socket Connector
Twistlock 9 Position

L Bracket Kit 98000




Replacement
77506 Controller
Connector
88050





Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps	77506 Controller Channel	
	Length	Height	Length	Height					
59010	24	1.63	610	41	 Amber	4	0.05-0.4	0	
59020	30		762			8	0.05-0.88		
59000	36		914						
59042	42		1,067						
59050	48		1,219			10	0.1-1.1		
59080	54		1,372						



59050

A white Nitec Split Traffic Director is shown on a wet road. The device has a black LED light bar on top and a "KEEP CLEAR" sign. A large yellow text overlay reads "SPLIT TRAFFIC DIRECTOR". The background shows a wet road and some greenery. The device is mounted on a white surface, possibly a truck or trailer, with a "WARNING OVERLOAD HAZARD" label visible. The Ontario license plate "YOURS TO DISCOVER" is also visible.

SPLIT TRAFFIC DIRECTOR

ONTARIO


YOURS TO DISCOVER

WARNING
OVERLOAD HAZARD

Nitec

57500 SERIES TITAN SPLIT TRAFFIC DIRECTORS

FLEET



Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- DT Style Connectors
- Anodized aluminum body
- T-Slot Mount with easy access point

LED Modules
available:



Controller & Cable Options
Sold Separately

Standard Controller



In-Cab Controller
77506 ✓
(3 Year Warranty)

Optional Controller



Outdoor Rated Switch Box
77504
*4 patterns only
(3 Year Warranty)

Main Power Cable
to be used with 77506

Part #	Length
✓ 77260	20'
77261	30'
77262	40'
77263	50'
77257	60'
77258	70'
77259	80'



Interconnect Cable
required to be used
between arrow halves
*also used as main
power cable with 77504

Part #	Length
✓ 77270	10'
77271	20'
77272	30'
77273	40'





Note: 77504 requires two 7727X cables: One to connect to the switch box and one to interconnect the two half sticks



Curious about this product?
Scan the QR code to check out
its full potential!


✓ Top Seller



Part #	Dimensions (inches) per half		Dimensions (millimeters) per half		Flash	# of Modules in Shaft per half	Amps	77506 Controller Channel
	Length	Height	Length	Height				
57518	18.5	2.125	470	54	 Amber	3	0.25-3	0
57524	23.625		600			4	0.5-4	
57530	29.375		746			5	0.5-5	
57536	35.125		892			6	0.5-6	
57542	40.875		1,038			7	0.5-7	
57548	46.625		1,184			8	0.5-8	


Recommended Mounting and Replacement Solutions

Sold Separately



ORION SPLIT TRAFFIC DIRECTORS

FLEET



Features:

- Fully encapsulated LED modules
- Polycarbonate lenses with UV protection
- Manual Dim
- Twistlock connectors
- Anodized Aluminum Body
- T-Slot Mount with easy access point
- Built in 10 foot cable between stick halves included
- In-cab controller included

LED Colours
available:Cable Options
Sold Separately


Main Power Cable

Part #	Length
✓ 77200	20'
77201	30'
77202	40'
77203	50'
77204	60'
77205	70'

Socket Connector
Twistlock 9 Position

Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller



Part #	Dimensions (inches) per half		Dimensions (millimeters) per half		Flash	# of Modules in Shaft per half	Amps	77506 Controller Channel
	Length	Height	Length	Height				
59051	15	1.625	381	41.275	Amber	4	0.55-0.8	0
59056	24		610			5	0.1-1.1	

Recommended Mounting and Replacement Solutions

Sold Separately





WARNING STICKS



— EST. 1969 —
SWS

WARNING LIGHTS INC.

57900 SERIES TITAN WARNING STICKS

TITAN
SERIES

FLEET



Socket Connector
DT Style 3 Position


21 Flash Patterns:

- See the chart

Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- DT Style Connectors
- Anodized Aluminum Body
- T-Slot Mount with easy access point
- Non-traffic directing use

LED Modules
available:



Mounting, Controller, Cable & Replacement Options

Sold Separately

Main Power Cable

Part #	Length
✓ 77250	20'
77251	30'
77252	40'
77253	50'



Pin Connector
DT Style 3 Position



Replacement Clips
79915
Set of 5

L Bracket Kit 98000



Switch Kit 766163



Replacement Modules



79906 Amber module with 4" leads
79906-26 Amber module with 26" leads



Curious about this product?
Scan the QR code to check out
its full potential!

Note: Not compatible with 7750X control boxes

✓ Top Seller



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps
	Length	Height	Length	Height			
57924	23.625	2.125	600	54	Amber	4	0.25-2
57936	35.125		892			6	0.25-3
57948	46.625		1,184			8	0.25-4
57960	58.125		1,476			10	0.25-5
57972	69.625		1,768			12	0.25-6


NON-TRAFFIC DIRECTING FLASH PATTERNS




Single Flash
Single Flash Faster
Double Flash
Double Flash Faster
Triple Flash
Triple Flash Faster
Quad Flash
Quint Flash
Flicker Flash 9x Really Fast



Single Alternating



Double Alternating




Quad Alternating




Steady Burn @ 33%



Flicker Alternating




Pendulum




Pendulum Faster




Flicker Every Other




Lighthouse



Steady with single end flickers (works with 8 plus modules)



Steady with double end flickers (works with 8 plus modules)



Collapse

SNOW PLOW





EST. 1969

SWS

WARNING LIGHTS INC.

SNOW PLOW ONTARIO ALL AMBER CONNECTORIZED - DT



#75031 PACKAGE



Part#	Description	Typical Installation Quantity	Included in Package?	Notes
S16360	Amber 16" Slim Profile LED Minibar	1	Yes	
96042	Main Junction Box	1		
22123	Amber Low Profile Beacon	2		
56045	Amber 24"Warning Stick	4		
93605	Red 4" Stop/Tail/Turn Lights	2	No	Required per TAC Standard. Optional Purchase.
722068	10' Extension Cable: Device to Junction Box	See Note		Customer to select cable lengths and quantity of each based on installation.
722069	20' Extension Cable: Device to Junction Box			
722070	30' Extension Cable: Device to Junction Box			
722071	40' Extension Cable: Device to Junction Box			
722072	50' Extension Cable: Device to Junction Box			
405000	3'x6' Full Retroreflective Checkerboard			
405002	3'x6' Retroreflective Checkerboard; "Liquid Anti-Icing"			


Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).

Accessory Options *Sold Separately*



Extension Cable:
Device to Junction Box

722068 10'
722069 20'
722070 30'
722071 40'
722072 50'



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing



Scan the QR code to access details about this package, the connection map, related products and more!

SNOW PLOW MANITOBA/ONTARIO AMBER/BLEU – WIRE LEADS



#75028 PACKAGE



S16397
Amber/Blue 16"
Slim LED Minibar
Front Mounted



22120
Amber/Blue
Low Profile LED Beacon
Rear Mounted



56043
Amber/Blue 24"
Warning Sticks

Part#	Description	Typical Installation Quantity	Included in Package?	Notes
S16397	Amber/Blue 16" Slim Profile LED Minibar	1	Yes	
22120	Amber/Blue Low Profile LED Beacon	2		
56043	Amber/Blue 24" Warning Sticks	4		
93605	Red Worklight Utility Spot/Flood Pattern	2	No	Required per TAC Standard. Optional Purchase.
405000	3'x6' Full Retroreflective Checkerboard	See Note		Customer to Select Board to suit application.
405002	3'x6' Retroreflective Checkerboard: "Liquid Anti-Icing"			

Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).

Accessory Options *Sold Separately*



93605
Red Worklight
Utility Spot/Flood Pattern
Also STT Capable

Extension Cable:
Device to Junction Box

- 722068** 10'
- 722069** 20'
- 722070** 30'
- 722071** 40'
- 722072** 50'



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing




Scan the QR code to access details about this package, the connection map, related products and more!



SNOW PLOW MANITOBA/ONTARIO AMBER/BLEU – CONNECTORIZED - DT


#75032 PACKAGE



Part#	Description	Typical Installation Quantity	Included in Package?	Notes	
S16361	16" Slim Profile LED Minibar Amber/ Blue	1	Yes		
96042	Main Junction Box	1			
22124	Amber/Blue Low Profile Beacon	2			
56046	Amber/Blue 24"Warning Stick	4			
93605	Red 4" Stop/Tail/Turn Lights	2	No	Required per TAC Standard. Optional Purchase.	
722068	10' Extension Cable: Device to Junction Box	See Note		Customer to select cable lengths and quantity of each based on installation.	
722069	20' Extension Cable: Device to Junction Box				
722070	30' Extension Cable: Device to Junction Box				
722071	40' Extension Cable: Device to Junction Box				
722072	50' Extension Cable: Device to Junction Box				
405000	3'x6' Full Retroreflective Checkerboard				Customer to Select Board to suit application.
405002	3'x6' Retroreflective Checkerboard; "Liquid Anti-Icing"				

Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).

Accessory Options *Sold Separately*



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing



Scan the QR code to access details about this package, the connection map, related products and more!

SNOW PLOW BRITISH COLUMBIA AMBER - CONNECTORIZED - DT



#75033 PACKAGE



Part#	Description	Typical Installation Quantity	Included in Package?	Notes	
S16362	Amber 16" Slim Profile LED Minibar	1	Yes		
96043	Main Junction Box				
722075	50' Cable assembly for S16362				
93610	Tractor/Spreader/Utility Amber Flasher				
56045	Amber 24"Warning Stick	4	No	Required per TAC Standard. Optional Purchase.	
93605	Red 4" Stop/Tail/Turn Lights	2			
722068	10' Extension Cable: Device to Junction Box	See Note			Customer to select cable lengths and quantity of each based on installation.
722069	20' Extension Cable: Device to Junction Box				
722070	30' Extension Cable: Device to Junction Box				
722071	40' Extension Cable: Device to Junction Box				
722072	50' Extension Cable: Device to Junction Box				
405000	3'x6' Full Retroreflective Checkerboard				Customer to Select Board to suit application.
405002	3'x6' Retroreflective Checkerboard: "Liquid Anti-Icing"				

Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).


Accessory Options

Sold Separately



Extension Cable:
Device to Junction Box

- 722068** 10'
- 722069** 20'
- 722070** 30'
- 722071** 40'
- 722072** 50'



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing



Scan the QR code to access details about this package, the connection map, related products and more!

SNOW PLOW

SNOW PLOW ALBERTA AMBER/BLEU – CONNECTORIZED - DT



#75035 PACKAGE




Part#	Description	Typical Installation Quantity	Included in Package?	Notes
S16363	Amber/Blue 16" Slim Profile LED Minibar	1	Yes	
S16382	Amber 360°/Blue out the back 16" Slim Profile LED Minibar			
96043	Main Junction Box			
722087	10' Cable assembly for S16382			
722002	Y Harness DT series	2		
93610	Tractor/Spreader/Utility Amber Flasher	4		
56046	Amber/Blue 24" Warning Stick			
722068	10' Extension Cable: Device to Junction Box			
722069	20' Extension Cable: Device to Junction Box	See Note	No	Customer to select cable lengths and quantity of each based on installation.
722070	30' Extension Cable: Device to Junction Box			
722071	40' Extension Cable: Device to Junction Box			
722072	50' Extension Cable: Device to Junction Box			
405000	3'x6' Retroreflective Full Checkerboard			Customer to Select Board to suit application.
405002	3'x6' Retroreflective Checkerboard; "Liquid Anti-Icing"			

Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).

Accessory Options *Sold Separately*

Extension Cable:
Device to Junction Box

722068 10'
722069 20'
722070 30'
722071 40'
722072 50'



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing



Scan the QR code to access details about this package, the connection map, related products and more!

SNOW PLOW NEW BRUNSWICK AMBER - CONNECTORIZED - DT



#75034 PACKAGE



Part#	Description	Typical Installation Quantity	Included in Package?	Notes
S16360	Amber 16" Slim Profile LED Minibar	1	Yes	
96042	Main Junction Box			
722071	40' Extension Cable: Device to Junction Box	4	Yes	
722068	10' Extension Cable: Device to Junction Box			
56045	Amber 24" Warning Stick	2	Yes	
93605	Red 4" Stop/Tail/Turn Lights			
722069	20' Extension Cable: Device to Junction Box	See Note	No	Different lengths available.
722070	30' Extension Cable: Device to Junction Box			
722072	50' Extension Cable: Device to Junction Box			Customer to Select Board to suit application.
405000	3'x6' Full Retroreflective Checkerboard			
405002	3'x6' Retroreflective Checkerboard; "Liquid Anti-Icing"			


Note: Choose the ready-made package and easily add must-have accessories to fit your setup and product dimensions. (also available for individual purchase).

Accessory Options

Sold Separately



93605
Red Worklight
Utility Spot/Flood Pattern
Also STT Capable



405000
Retroreflective Checkerboard
6' X 3' Yellow And Black



405002
Retroreflective Checkerboard
6' X 3' Yellow And Black Liquid Anti-Icing



Scan the QR code to access details about this package, the connection map, related products and more!

SNOW PLOW

CONTROLLERS & SWITCHES





SWS WARNING LIGHTS INC.

EST. 1969

SWS

WARNING LIGHTS INC.

ARROW AND TRAFFIC DIRECTOR

IN-CAB-CONTROLLER

AND GEOTAB INTEGRATION



Part #	Current Draw	Controls					Auxiliary 10 Amp	Dynamic Display	GPS
77506	0.1 Amp	Power	Enable Selected Pattern	Manual Dim	Cargo Light Control	Select Left Right Centre	Manual	Traffic Director and Arrow Activity	Not Included
77503							Automatic		GEOTAB Integration

77506

Features:

- Backlit control panel
- 30 Amp fuse included
- 15 Amp in-line fuse wire included
- Metal bracket + hardware included
- **Compatibility:** Works seamlessly with SWS Traffic Arrows and Traffic Directors.
- **Auxiliary Channel (ON/OFF):** Activates peripheral warning devices on power-up.

77503

Features:


- Backlit control panel
- 30 Amp fuse included
- 15 Amp in-line fuse wire included
- Metal bracket + hardware included
- **GEOTAB Integration:** Logs light activation/deactivation for enhanced GPS tracking.
- **Compatibility:** Works seamlessly with SWS Traffic Arrows and Traffic Directors.




Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller


Fleet Wiring Harness Installation



54000, TC-12, and Fleet Plus Wiring Harness Installation




Software Selection



Dial Selection	Software Function
0	Traffic Director (Even* Number of Modules)
1	Traffic Director (Odd Number of Modules)
8	Traffic Arrow (Even* Number of Modules in Shaft)
9	Traffic Arrow (Odd Number Of Modules in Shaft)
A	54000 Traffic Arrow
B	Nova Board Kit (67301)
D	TC12 Arrow Board

*All split arrows and split traffic directors are considered even numbers, regardless of the number of modules.



Recommended Replacement Solutions

Sold Separately



Replacement
77506/77503 Controller
Connector
88050

THE 77504 WEATHERPROOF EXTERNAL CONTROLLER

EST. 1969


SWS

WARNING LIGHTS INC.



For Use with Titan Fleet Traffic Arrows, Titan Fleet Split Arrows, Titan Fleet Traffic Directors, Titan Fleet Split Traffic Directors, and the 7727x cable family

Part #	Controls				Housing	
77504	Left	Centre Out	Bar Mode	Right	NEMA Compliant	IP66



Curious about this product?
Scan the QR code to check out
its full potential!

MULTI-PRODUCT

LIGHTING CONTROLLER WITH REMOTE




Features:

- Control solution: Wire + Remote Control
- RJ Connector + 6 included DAT connectors with hook up wires
- Control 6 or more products
- Overload protection
- Control distance: remote control 50m; APP 12m
- Waterproof IP67



Part #	Controls Ports			Control Options	Capability
	Qty. 2	Qty. 2	Qty. 2		
77540	10 Amp Pattern Select	20 Amp On/Off 2 Modes	10 Amp On/Off	Wireless Remote	Multi Pattern Beacons Multi Pattern MiniBars Work lights Driving Lights Utility TC-12 55010
				RJ45 Network Cable	



Curious about this product?
Scan the QR code to check out
its full potential!

CONTROLLERS & SWITCHES

SWITCH PANEL KITS




Features:

- Screw Mounting
- 3 Switches
- 4 ft cable



Part #	Switching	Aux	Lightbar	Pattern	IP Rating
76200	15 Amps Max	On / Off	Warning Device	Pattern Select	IP64



Curious about this product?
Scan the QR code to check out
its full potential!

SWITCH PANEL KITS

General Features:


- Anodized aluminum switch panels come with pre wired necessary jumpers and Faston Terminals
- 10A Max.



766150

Features:


- 1X Illuminated On/Off



766152

Features:

- 2X Illuminated On/Off




766163 Momentary Negative (-)

766175 Momentary Positive (+)

766155 Hi / Low / Float

Features:


- 1X Illuminated On/Off
- 1X Momentary or
- 1X 3 position pattern select



766171

Features:

- 2X Illuminated On/Off
- 1X Momentary Negative (-)



Replacement Options

Sold Separately



Replacement
Illuminated
On/Off
Switch
766322




Replacement
Momentary
Switch
766012



Replacement
Hi/ Low / Float
Switch
766320



PERIMETER LIGHTS




— EST. 1969 —
SWS

WARNING LIGHTS INC.

SURFACE MOUNT PERIMETER LIGHTING LOW PROFILE



80071



Features:

- Full rubber seals
- Steady on option
- Synchronizable for simultaneous or alternating flashing
- Screw mount
- Gasket and hardware included
- Rated at IPX7

D Die-Cast aluminum

UV Polycarbonate
UV Protected



Part #	Flash	# of LEDs	Amps	# Flash Patterns	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H	SAE Class
80071	Amber	3	0.5	12	3.38 x 1.08 x 0.61	85.98 x 27.66 x 15.7	1
80072	Blue						N/A
80073	Green						N/A
80074	Red						N/A
80075	White						1

Recommended Switch & Mounting Options

Sold Separately



Switch
766175



Bracket Kit
80090



No need to search,
just scan the QR code to visit
the product page instantly!


Top Seller

SURFACE MOUNT PERIMETER LIGHTING ULTRA SLIM



Features:

- Full rubber seals
- Steady on option
- Synchronizable for simultaneous or alternating flashing
- Screw mount
- Gasket and hardware included
- Rated at IPX8



D Die-Cast aluminum

UV Polycarbonate
UV Protected



Part #	Flash	# of LEDs	Amps	# Flash Patterns	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H	SAE Class
80271	Amber	3	1	12	3.38 x 1.1 x 0.35	86 x 28 x 9	1
80272	Blue						N/A
80273	Green						1
80274	Red						1
80275	White						1

Recommended Switch & Mounting Options




Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

SURFACE MOUNT PERIMETER LIGHTING LOW PROFILE



D Die-Cast aluminum
UV Polycarbonate
UV Protected

Features:

- Full rubber seals
- Steady on options
- Synchronizable for simultaneous or alternating flashing
- Screw mount
- Gasket and hardware included



Part #	Flash	# of LEDs	Amps	# Flash Patterns	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H	SAE Class
80058	Amber	6	3	19	5 x 1.1 x 0.68	127.5 x 27.8 x 17.2	1
80065	Red						
80066	Blue						
80080	White						
80078	Red/Blue						
80081	Amber/White						N/A

Recommended Switch & Mounting Options Sold Separately



No need to search,
just scan the QR code to visit
the product page instantly!

Top Seller

SURFACE MOUNT PERIMETER LIGHTING ULTRA SLIM



1.1" (28.1mm)

4.43" (112.6mm)

9mm

0.35" (9mm)

80258

Features:

- Full rubber seals
- Steady on options
- Synchronizable for simultaneous or alternating flashing
- Screw mount
- Gasket and hardware included
- Rated at IPX7

D Die-Cast aluminum

UV Polycarbonate
UV Protected



Part #	Flash	# of LEDs	Amps	# Flash Patterns	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H	SAE Class
80258	Amber	6	2	23	4.43 x 1.1 x 0.35	112.6 x 28.1 x 9	1
80265	Red						
80266	Blue						
80280	White						
80278	Red/Blue						
80281	Amber/White						
80287	Amber/Blue						

Recommended Switch & Mounting Options

Sold Separately



Switch
766175



Bracket Kit
80291



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

PERIMETER LIGHTS

HOOD MOUNT PERIMETER LIGHTING




80059 ✓

Features:

- Steady on options
- Hood mount bracket included



Part #	Flash	# of LEDs	Amps	# Flash Patterns	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H
✓ 80059	Amber	6	0.7	19	4.2 x 0.94 x 1.65	107 x 24 x 42



Switch Option *Sold Separately*



Switch
766175



No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

DUAL FUNCTION PERIMETER LIGHTING SURFACE MOUNT



Features:

- Bezel included
- Central 6 LED warning light
- 18 LED Halo steady burn
- Screw mount
- Gasket and hardware included
- Rated at IPX8

D Die-Cast aluminum

UV Polycarbonate
UV Protected



Part #	Centre LEDs	Halo LEDs	Amps	# Flash Patterns	Mounting	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H
83022	☐ White	☐ White	2	14	Surface	5.20 x 1.97 x 0.74	132 x 50 x 18.8
83026	☐ White	☒ Amber					
83062	☒ Amber	☐ White					
83069	☒ Amber	☒ Red					

Switch Option
Sold Separately



Switch
766175





Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

GROMMET MOUNT PERIMETER LIGHTING



80015



Features:

- Synchronizable between light heads
- Rubber grommet included
- Rated at IPX7



**Polycarbonate
UV Protected**



Part #	Flash	Lens	Amps	Patterns	Dimensions (inches) L x W x D	Dimensions (millimeters) L x W x D	Temperature Rating
80014	Red	Clear	1	9	6.5 x 2.26 x 0.92	165 x 57.5 x 23.4	-40°C to +65°C
80015	Amber						
80016	Blue						
80017	White						

Recommended Switch & Mounting Options

Sold Separately



**Switch
766175**




**Bracket Kit
98601**



No need to search,
just scan the QR code to visit
the product page instantly!

Top Seller

GROMMET MOUNT DUAL COLOUR HEATED PERIMETER LIGHTING



Features:

- Synchronizable between light heads
- Pattern select allows for single or dual-colour flash
- Rubber grommet included
- Heated Lens: Thermal sensor keeps lens clear in snow
- Reflective Optics: Boosts visibility by reflecting headlights from vehicles behind
- Rugged weatherproof design: 100% sealed rated at IPX7



Heated Lens



**Polycarbonate
UV Protected**



**12-24
Vdc**



**3
YEAR
WARRANTY**



**SAE
CLASS
1**

Part #	Flash	Amps	Patterns	Dimensions (inches) L x W x D	Dimensions (millimeters) L x W x D	Temperature Rating
80040-A/B	Amber/Blue	0.5	17	6.5 x 2.26 x 0.92	165 x 57.5 x 23.4	-40°C to +65°C
80040-A/G	Amber/Green					
80040-A/W	Amber/White					

Recommended Switch & Mounting Options

Sold Separately



Switch
766171



Bracket Kit
98601



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

GROMMET MOUNT PERIMETER LIGHTING





80011




80013

w/o Grommet



w/ Grommet



UV Polycarbonate
UV Protected



Features:

- Synchronizable between light heads
- Rubber grommet included
- Rated at IPX7

Part #	Flash	Lens	Amps	Patterns	Dimensions (inches) W x D	Dimensions (millimeters) W x D	Temperature Rating
80010	 Red	Red	1	6	4.33 x 0.29	110 x 23.4	-40°C to +65°C
80011	 Amber	Amber					
80012	 Blue	Clear					
80013	 White						

Switch Option Sold Separately



Switch
766175



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller


PERIMETER LIGHTING

HIDEAWAY INSERTS OR SURFACE MOUNT



Features:

- Synchronization for over 20 units
- Internal headlight mount or surface mount snap on cover included
- Built-in flasher for easy install
- Sold as individual light heads
- Rated at IPX7



Part #	Flash	Avg. Current	Max Current	# of LEDs	# Patterns
80046	Amber	0.5	0.7	12	12
80047	White	0.7	0.8		



Die-Cast aluminum



**Polycarbonate
UV Protected**

Switch Option
Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller



EXTERIOR LIGHTS



EST. 1969
SWS

WARNING LIGHTS INC.


EXTERIOR SCENE LIGHT



D Die-Cast aluminum

UV Polycarbonate
UV Protected

Part #	Lumens	Current Draw	IP Rating	Operating Temperature	Downward Angle
✓ 93810	1560	1.25 A	IP67	-30°C to +40°C	60 degrees




Switch Option
Sold Separately



No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

EXTERIOR SCENE LIGHT



93840




Extruded aluminum



Polycarbonate
UV Protected

Features:

- Stop, Turn, Tail, Reverse
- Reverse can be used as a bed light
- 18" Cable Length
- Mounting hardware included



Part #	Operating at 12 Vdc.				Operating Temperature
	Tail Lights Current Draw	Stop Lights Current Draw	Turn Indicators Current Draw	Reverse Lights Current Draw	
93840	0.06A	0.3A	0.15A	0.19	-40°C to +65°C



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

WORK LIGHTS



EST. 1969
SWS

WARNING LIGHTS INC.



FLOOD LIGHTS WORK LIGHTS



93932F ✓



93935F ✓





D Die-Cast aluminum

Features:

- Stainless steel Bolt Mount with Bracket
- Swivel and Tilt adjustability
- DT style connector included (on 50W and 90W models)



Part #	Shape	Power	IP Rating	Lumens	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H
93930F	Round	10W	IP68	800	2.24 x 2.28 x 3.43	57 x 58 x 87
93933F	Square				2.09 x 1.95 x 3.31	53 x 49.5 x 84.2
93931F	Round	50W		4000	3.7 x 2.36 x 5	94 x 60 x 127
93934F	Square				3.39 x 2.44 x 4.35	86 x 62 x 110.5
93932F	Round	90W		7200	5.00 x 3.15 x 6.22	127 x 80 x 158
93935F	Square				4.92 x 3.58 x 5.94	125 x 91 x 151



*Other dimensional drawings available at: warninglightsinc.com



No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

SPOT LIGHTS

WORK LIGHTS



93931S ✓



93934S ✓


D Die-Cast aluminum

Features:



- Stainless steel Bolt Mount with Bracket
- Swivel and Tilt adjustability
- DT style connector included (on 50W and 90W models)




Part #	Shape	Power	IP Rating	Lumens	Dimensions (inches) L x W x H	Dimensions (millimeters) L x W x H
93930S	Round	10W	IP68	800	2.24 x 2.28 x 3.43	57 x 58 x 87
93933S	Square				2.09 x 1.95 x 3.31	53 x 49.5 x 84.2
93931S	Round	50W		4000	3.7 x 2.36 x 5	94 x 60 x 127
93934S	Square				3.39 x 2.44 x 4.35	86 x 62 x 110.5
93932S	Round	90W		7200	5.00 x 3.15 x 6.22	127 x 80 x 158
93935S	Square				4.92 x 3.58 x 5.94	125 x 91 x 151



93931S



93934S




*Other dimensional drawings available at: warninglightsinc.com



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

FLOOD LIGHTS WORK LIGHTS



Features:

- Heavy-Duty Powder Coated Die Cast Aluminum
- LED's Rated to 50,000 Hours of Operation
- Reverse Polarity Protection
- Weatherproof and Vibration Resistant



Part #	Lumens	Beam	Voltage	IP Rating	Dimensions (inches) L x W x D	Dimensions (millimeters) L x W x D	Vibration Resistant
93900	1500	Flood	10-80 Vdc	IPX9K	6.22 x 3.78 x 2.09	158 x 96 x 53	Yes
93910	400		12-24 Vdc		4.3 x 3.3 x 1.1	109 x 85 x 28	




No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

2 IN 1 SCENE & WARNING LIGHT



93920 ✓



Features:

- Multi Unit Synchronization Alternating or Simultaneous
- Permanent Mount, Bracket and Hardware Included
- Max Power (warning): 13.2 W
- Max Power (white): 10.8 W

D Die-Cast aluminum

UV Polycarbonate
UV Protected



Part #	Patterns	IP Rating	Lumens	Dimensions (inches) L x W x D	Dimensions (millimeters) L x W x D	Operating Temperature
93920	19	IP69K	1200	3.58 x 2.91 x 1.25	91 x 74 x 32	-40°C to +60°C



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

WORK LIGHTS


HEATED LED HEADLIGHTS



Heated Lens

Features:

- Glass lens with heated circuit
- SAE J588, DOT
- High/Low Beam, Daytime Running, Turn Signal
- Die Cast Aluminum Body
- DAT Connector rear housing
- Turn signal module is interchangeable to either side
- Bolt Mount, Adjustable Swivel and Tilt
- Sold in pair





Part #	Lumens	Amp Draw	Power	IP Rating	Automatic Heated Lens
93615	8900	10.58	127W	IP68	Heats up to 80°C



No need to search,
just scan the QR code to visit
the product page instantly!

Top Seller

THE HORIZON REMOTE CONTROL SEARCH LIGHT



UV Polycarbonate
UV Protected



Features:

- Wireless remote control
- Easily control speed rotation and angle
- 12V auxiliary cig cord
- Magnetic and permanent mount in one model

Part #	Lumens	Beam	Power	Vertical Tilt	Rotation	IP Rating
✓ 93050	2200	Spot	60W	60 degrees	360 degrees	IP65

WORK LIGHTS



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



ALARMS



EST. 1969


SWS

WARNING LIGHTS INC.

NYLON BASE MULTI FREQUENCY BACKUP ALARM



99216



Features:

- Multi Frequency (White Noise)
- Stud mount wiring
- Potted Electronics
- Water Resistant Speaker Cone
- Operating Temp -30°C to +80°C



Scan the QR code to check out its full potential!

Part #	Amps	dB Rating	Length	Height	Depth
99216	0.2A	97dB	4.02" 102 mm	2.638" 67 mm	1.575" 40 mm

DIE CAST ZINC BASE MULTI-TONE BACKUP ALARM



60


Features:

- Single Tone 87dB, 97dB, 102dB, 107dB, 112dB
- Steady Tone 107dB
- Dual Tone 97dB, 102dB
- Wire Leads
- Potted electronics
- Water Resistant Speaker Cone
- Operating Temp -30°C to +80°C



Scan the QR code to check out its full potential!

Part #	Amps	dB Rating	Length	Height	Depth
60	0.2A	82-112db	4.5" 114.3 mm	3.125" 79.38 mm	1.625" 41.28 mm



ABS BASE SINGLE TONE BACKUP ALARM



99202


Features:

- Single Tone 97 dB
- Stud mount wiring
- Potted Electronics
- Water resistant speaker cone
- Operating Temp -30°C to +80°C



Scan the QR code
to check out
its full potential!

Part #	Amps	dB Rating	Length		Height		Depth	
99202	0.2A	97db	4"	101.6 mm	2.625"	66.675 mm	1.625"	41.275 mm



ALARMS



INTERIOR LIGHTS

EST. 1969

SWS

WARNING LIGHTS INC.



INTERIOR WHITE LIGHT



93794



Articulating Bracket
(installed)



Detachable Clip
(included)

Permanent Mounting
(included)

Features:

- Low-profile design
- Polycarbonate outer case
- 2 surface-mounting options
- Aluminum bracket included



Part #	Amps	Lumens	Dimensions (inches) L x H	Dimensions (millimeters) L x H	IP Rating
✓ 93794	1.00	1280	40.5 x 0.43	1028.7 x 10.92	IP66
93795	0.44	640	20.5 x 0.43	520.7 x 10.92	
93796	0.24	320	12 x 0.43	304.8 x 10.92	

Recommended Switch Option

Sold Separately




Switch Kit
766150



No need to search,
just scan the QR code to visit
the product page instantly!

✓ Top Seller

INTERIOR WHITE PANEL



Features:


- LED flat-panel light
- 0.6 A @ 12 Vdc
- Polycarbonate lens with aluminum bezel
- Thin profile
- Surface mount with 6" wire leads



Part #	Lumens	Power	Mounting	Dimensions (inches) L x H x W	Dimensions (millimeters) L x H x W	Temperature rating
✓ 93780	550	7W	Surface	5.875 x 5.875 x 0.295	149 x 149 x 7.5	-20°C to 80°C

Recommended Switch Option

Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller



LARGE LIGHTBARS



EST. 1969

SWS

WARNING LIGHTS INC.

22" AMBER LED LIGHTBAR



26 Flash Patterns:

- | | | |
|-----------------------|-----------------------|-------------------------------|
| 1 Single | 11 Twelve | 21 CW - CCW Constant flash |
| 2 Double | 12 Cross - Octa | 22 Double - Rotation |
| 3 Quad | 13 One - One Single | 23 All Quick - Half Quad |
| 4 Octa | 14 One - One Octa | 24 Left Steady - Right Single |
| 5 Single half to half | 15 CW Rotation | 25 Right Steady - Left Single |
| 6 Double half to half | 16 CCW Rotation | 26 Steady On |
| 7 Quad half to half | 17 CW Constant flash | |
| 8 Octa half to half | 18 CCW Constant flash | |
| 9 Single- Slow | 19 CW Single | |
| 10 Breath flash | 20 CCW Single | |

Features:

- Vibration Resistant design
- Magnetic mount
- Cigarette Plug/Cord included
- IP 66 rating




Extruded aluminum base



**Polycarbonate
UV Protected**




Part #	Length	Height	Flash	Lens Material	Base Material	Temperature rating
26030-22	22"	7.9"	Amber	Polycarbonate	Aluminum	-30°C to +60°C



No need to search,
just scan the QR code to visit
the product page instantly!

47" AMBER LED LIGHTBAR



28 Flash Patterns:

- | | | |
|-----------------------|------------------------------|-------------------------------|
| 1 Single | 11 Cycle | 21 CW - CCW Constant flash |
| 2 Double | 12 Triple | 22 Left arrowstick |
| 3 Quad | 13 Triple half to half | 23 Right arrowstick |
| 4 Octa | 14 One - One Single | 24 Middle to side arrowstick |
| 5 Single half to half | 15 One - One Octa | 25 Arrowstick combination |
| 6 Double half to half | 16 Center - out single flash | 26 Left Steady - Right Single |
| 7 Quad half to half | 17 CW Rotation | 27 Right Steady - Left Single |
| 8 Octa half to half | 18 CCW Rotation | 28 Steady on |
| 9 Single- Slow | 19 CW Constant flash | |
| 10 Breath flash | 20 CCW Constant flash | |

Features:

- Take Down and Alley Lights
- Includes traffic directing pattern
- Vibration Resistant design
- Inner door frame brackets included
- IP 66 rating




Extruded aluminum base



**Polycarbonate
UV Protected**




Part #	Length	Height	Flash	Lens Material	Base Material	Temperature rating
26030-47	47"	7.9"	Amber	Polycarbonate	Aluminum	-30°C to +60°C



Curious about this product?
Scan the QR code to check out
its full potential!

LARGE LIGHTBARS

47" AMBER/WHITE LED LIGHTBAR DUAL COLOUR



- | | | |
|-----------------------|------------------------------|-------------------------------|
| 1 Single | 11 Cycle | 21 CW - CCW Constant flash |
| 2 Double | 12 Triple | 22 Left arrowstick |
| 3 Quad | 13 Triple half to half | 23 Right arrowstick |
| 4 Octa | 14 One - One Single | 24 Middle to side arrowstick |
| 5 Single half to half | 15 One - One Octa | 25 Arrowstick combination |
| 6 Double half to half | 16 Center - out single flash | 26 Left Steady - Right Single |
| 7 Quad half to half | 17 CW Rotation | 27 Right Steady - Left Single |
| 8 Octa half to half | 18 CCW Rotation | 28 Steady on |
| 9 Single- Slow | 19 CW Constant flash | |
| 10 Breath flash | 20 CCW Constant flash | |

Features:

- Dual colour and single colour operation
- Stop Turn Tail
- Take Down and Alley Lights
- Includes traffic directing pattern
- Vibration Resistant design
- Inner door frame brackets included
- IP 66 rating



Extruded aluminum base



**Polycarbonate
UV Protected**



Part #	Length	Height	Flash	Lens Material	Base Material	Temperature rating
26010-47	47"	7.9"	Amber/White	Polycarbonate	Aluminum	-30°C to +60°C



No need to search,
just scan the QR code to visit
the product page instantly!

60" AMBER/WHITE LED LIGHTBAR DUAL COLOUR



26010-60

Backlit Controller
(included)



28 Flash Patterns:

- | | | |
|-----------------------|------------------------------|-------------------------------|
| 1 Single | 11 Cycle | 21 CW - CCW Constant flash |
| 2 Double | 12 Triple | 22 Left arrowstick |
| 3 Quad | 13 Triple half to half | 23 Right arrowstick |
| 4 Octa | 14 One - One Single | 24 Middle to side arrowstick |
| 5 Single half to half | 15 One - One Octa | 25 Arrowstick combination |
| 6 Double half to half | 16 Center - out single flash | 26 Left Steady - Right Single |
| 7 Quad half to half | 17 CW Rotation | 27 Right Steady - Left Single |
| 8 Octa half to half | 18 CCW Rotation | 28 Steady on |
| 9 Single- Slow | 19 CW Constant flash | |
| 10 Breath flash | 20 CCW Constant flash | |

Features:

- Dual colour and single colour operation
- Stop Turn Tail
- Take Down and Alley Lights
- Includes traffic directing pattern
- Vibration Resistant design
- Inner door frame brackets included
- IP 66 rating




Extruded aluminum base



**Polycarbonate
UV Protected**



Part #	Length	Height	Flash	Lens Material	Base Material	Temperature rating
26010-60	60"	7.9"	Amber/White	Polycarbonate	Aluminum	-30°C to +60°C



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

LARGE LIGHTBARS



MINIBARS



— EST. 1969 —
SWS

WARNING LIGHTS INC.

THE APOLLO 16" LOW PROFILE LED MINIBAR

FLEET PLUS



Battery Check



Auto Dim



Synchronization




Extruded aluminum



**Polycarbonate
UV Protected**

Features:

- Low 3.75" profile
- T-slot mounting
- Manual Dim
- Zero EMI



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
16311	Amber	Clear	 Amber	0.8 - 3	26	Permanent
16338	Clear					
16310		Amber				

Available in other colours, see them at: warninglightsinc.com



Recommended Switch & Mounting Options
Sold Separately



Switch Kit
766163



Riser Kit
98014



Mounting Plate
98012



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

THE APOLLO 16" SLIM PROFILE LED MINIBAR

FLEET PLUS



Battery Check



Auto Dim



Synchronization




Extruded aluminum



**Polycarbonate
UV Protected**

Features:

- Ultra slim 2.5" profile
- T-slot mounting
- Manual Dim
- Zero EMI



	Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
✓	S16311	Amber	Clear	 Amber	0.8 - 3	26	Permanent
✓	S16338	Clear					
	S16310		Amber				

Available in other colours, see them at: warninglightsinc.com



Recommended Switch & Mounting Options
Sold Separately



Switch Kit
766163



Riser Kit
98014



Mounting Plate
98012



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

THE APOLLO 16" LOW PROFILE LED MINIBAR

SELECT



Features:


- Low 3.75" profile
- T-slot mounting
- Quick Disconnect
- Zero EMI
- Temporary mount kits available



Extruded aluminum



**Polycarbonate
UV Protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
16150	Amber	Clear	Amber	0.8 - 3	12	Permanent
16156	Clear	Clear				

Available in other colours, see them at: warninglightsinc.com



Recommended Switch & Mounting Options *Sold Separately*



Switch Kit
766163



Riser Kit
98014



Mounting Plate
98012



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

THE APOLLO 16" SLIM PROFILE LED MINIBAR

SELECT



S16150 ✓

Features:


- Ultra slim 2.5" profile
- T-slot mounting
- Quick Disconnect
- Zero EMI
- Temporary mount kits available



Extruded aluminum



**Polycarbonate
UV Protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
S16150	Amber	Clear	Amber	0.8 - 3	12	Permanent
S16156	Clear	Clear				

Available in other colours, see them at: warninglightsinc.com

Recommended Switch & Mounting Options
Sold Separately



**Switch Kit
766163**



**Riser Kit
98014**



**Mounting Plate
98012**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

THE ECLIPSE 10" COMPACT LED MINIBAR

FLEET PLUS



Features:

- Low 2" profile
- Dome complies with CA13
- 1" NPT
- Manual Dim
- Zero EMI



Battery Check



Auto Dim



Synchronization



Die-Cast aluminum



**Polycarbonate
UV Protected**

Part #	Dome	Flash	Amps	Flash Patterns	IP Rating	Mounting
16610	Amber	Amber	0.3 - 3.0	27	IP67/IP69K	Permanent
16616	Clear					



Recommended Switch & Mounting Options
Sold Separately



Switch Kit
766163



Mounting Bracket
Flat/Blind
98087



Bracket Side
Mounting
98086



L Bracket Kit
98000



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

THE ECLIPSE 10" COMPACT LED MINIBAR

FLEET



Features:

- Low 2" profile
- Dome complies with CA13
- 1" NPT
- Zero EMI

D

Die-Cast aluminum

UV

Polycarbonate
UV Protected



Part #	Dome	Flash	Amps	Flash Patterns	IP Rating	Mounting
10100P	Amber	Amber	0.3 - 3.0	15	IP67/IP69K	Permanent
10103P	Clear					

Recommended Switch & Mounting Options
Sold Separately

**SAE
CLASS
1**

**12-24
Vdc**


**5
YEAR
WARRANTY**



Switch Kit
766163



Mounting Bracket
Flat/Blind
98087



Bracket Side
Mounting
98086



L Bracket Kit
98000




Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

MINIBARS

THE APOLLO 16" DUAL COLOUR LED MINIBAR

FLEET PLUS



Features:

- Low 3.75" profile
- T-slot mounting
- Manual Dim
- Pattern select allows for single or dual-colour flash



Battery Check




Auto Dim



Extruded aluminum



**Polycarbonate
UV Protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
16398	Clear	Clear	Amber/Green	1.1-2.8	26	Permanent
16395			Amber/Red			
16394			Amber/White			
16393			Red/White			



Recommended Switch & Mounting Options
Sold Separately



Switch Kit
766171



Riser Kit
98014



Mounting Plate
98012



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

THE APOLLO 16" SLIM DUAL COLOUR — LED MINIBAR

FLEET PLUS



Features:

- Ultra Slim 2.5" profile
- T-slot mounting
- Manual Dim
- Pattern select allows for single or dual-colour flash

- Battery Check
- Auto Dim
- Extruded aluminum
- Polycarbonate UV Protected



Part #	Dome	Lens	Flash	Amps	Flash Patterns	SAE Class	Mounting
S16399	Clear	Clear	 Amber/Blue	1.1-2.8	26	1	Permanent
S16398			 Amber/Green			N/A	
S16395			 Amber/Red				
S16394			 Amber/White				
S16393			 Red/White				



Recommended Switch & Mounting Options
Sold Separately



Switch Kit 766171



Riser Kit 98014



Mounting Plate 98012



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

MINIBARS



BEACONS

EST. 1969

SWS

WARNING LIGHTS INC.



DUAL COLOUR HIGH PROFILE LED BEACONS

FLEET PLUS



22609 ✓



Features:

- Spun aluminum open bottom base
- Pattern select allows for single or dual-colour flash



Anodized aluminum




**Polycarbonate
UV Protected**



Part #	Flash	Dome	Lens	Amps	Mounting	# Flash Patterns	SAE Class
✓ 22609	Amber/Blue	Clear	Clear	0.2-1.4	Permanent	Quad Flash	2

Available in other colours see them at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



Switch Kit
766152



Mounting Plate
98011

98004 Driver Side
98005 Passenger Side



Back Rack
Extension
98043



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

DUAL COLOUR MEDIUM PROFILE LED BEACONS

FLEET PLUS



22336 ✓



Features:

- Flanged Polycarbonate Base
- Pattern select allows for single or dual-colour flash




**Polycarbonate
UV Protected**



Part #	Flash	Lens	Amps	Mounting	# Flash Patterns	SAE Class
22336	Amber/Blue	Clear	0.1-0.9	Permanent	Quad Flash	2

Available in other colours and temporary mounts, see them at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766152**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

BEACONS

DUAL COLOUR LOW PROFILE LED BEACONS

FLEET PLUS



Features:

- Flanged Polycarbonate Base
- Pattern select allows for single or dual-colour flash



Synchronization



**Polycarbonate
UV Protected**




**12-24
Vdc**



Part #	Flash	Lens	Amps	Mounting	# Flash Patterns	SAE Class
22117	Amber/Blue	Clear	0.1-0.7	Permanent	Quad Flash	2
22137-AB					1 Hz Rotation	

Available in other colours and temporary mounts, see them at: warninglightsinc.com



Recommended Switch & Mounting Options *Sold Separately*



**Switch Kit
766152**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

Top Seller

HIGH PROFILE LED BEACONS



23803 ✓

Features:

- Spun aluminum open bottom base



Anodized aluminum




**Polycarbonate
UV Protected**



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
✓ 23803	Fleet Plus	0.5-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
✓ 200A-12V-A	Fleet			3	No	No	No	5 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766163**



**98004 Driver Side
98005 Passenger Side**



**Mounting Plate
98011**



**Back Rack
Up Right
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

BEACONS

HIGH PROFILE LED BEACONS



23835 ✓

Features:

- Flanged Polycarbonate Base




**Polycarbonate
UV Protected**



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
✓ 23835	Fleet Plus	0.5-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
✓ 23600	Fleet			3	No	No	No	5 YEAR WARRANTY
23621	Select	0.1-1.5		6				3 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



Switch Kit
766163



98017 Driver Side
98018 Passenger Side



Back Rack
Extension
98043



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

MEDIUM PROFILE LED BEACONS



Features:

- Flanged Polycarbonate Base




**Polycarbonate
UV Protected**



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
✓ 23815	Fleet Plus	0.5-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
✓ 27001	Fleet			3	No	No	No	5 YEAR WARRANTY
23421	Select	0.1-1.5		6				3 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766163**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

BEACONS

MEDIUM PROFILE LED BEACONS



200S-12V-A ✓

Features:

- Polycarbonate Base with a stainless steel banding ring




**Polycarbonate
UV Protected**



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
230S-12V-A	Fleet Plus	0.1-1.7	Permanent	15	Yes	Auto & Manual	Yes	
200S-12V-A	Fleet	0.5		3	No	No	No	
210S-12V-A	Select			6				

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766163**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

MEDIUM PROFILE LED BEACONS



208R-12V-A ✓

Features:

- Rubber base with mounting studs




Polycarbonate
UV Protected



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization
208R-12V-A	Fleet	0.1-1.5	Permanent	3	No	No	No

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



Switch Kit
766163



98017 Driver Side
98018 Passenger Side



Back Rack
Extension
98043



Curious about this product?
Scan the QR code to check out
its full potential!



Top Seller

BEACONS

LOW PROFILE LED BEACONS



204R-12V-A ✓

Features:

- Rubber base with mounting studs




**Polycarbonate
UV Protected**



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization
✓ 204R-12V-A	Fleet	0.1-1.5	Permanent	3	No	No	No

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766163**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

LOW PROFILE LED BEACONS



Features:

- Flanged Polycarbonate Base




**Polycarbonate
UV Protected**



	Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
✓	23817	Fleet Plus	0.1-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
	23101		0.1-1.3		23				
✓	27006	Fleet	0.1-1.5		3	No	No	No	5 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



**Switch Kit
766163**



**98017 Driver Side
98018 Passenger Side**



**Back Rack
Extension
98043**



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top Seller**

BEACONS

LOW PROFILE LED BEACONS



Features:


- Polycarbonate Base

UV Polycarbonate
UV Protected



Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
20796	Fleet Plus	0.1-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
20796B			Mirror Bracket					
201Z-12V-A	Fleet	0.1-0.5	Permanent	3	No	No	No	5 YEAR WARRANTY
201ZB-12V-A			Mirror Bracket					
20730	Select	0.2-0.5	Permanent	6				3 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options *Sold Separately*



Switch Kit
766163



98008 Bracket



Back Rack
Extension
98043



Curious about this product?
Scan the QR code to check out
its full potential!

LOW PROFILE LED BEACONS



200Z-12V-A ✓

Features:

- Die-cast zinc base
- Gasketed with a stainless steel banding ring

D Die-Cast Zinc Base


UV Polycarbonate
UV Protected

**SAE
CLASS
1**

**12-24
Vdc**

Part #	Tier	Amps	Mount	Flash Patterns	Battery Check	Dim	Synchronization	Warranty
20790	Fleet Plus	0.1-1.5	Permanent	15	Yes	Auto & Manual	Yes	10 YEAR WARRANTY
✓ 200Z-12V-A	Fleet	0.1-0.5		3	No	No	No	5 YEAR WARRANTY
20710	Select	0.5		6				3 YEAR WARRANTY

Models listed flash amber, other colours available at: warninglightsinc.com



Recommended Switch & Mounting Options

Sold Separately



Switch Kit
766163



98008 Bracket



Back Rack
Extension
98043



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

BEACONS

USB-C AND AC SOLUTIONS



EST. 1969
SWS

WARNING LIGHTS INC.



USB-C / AC LED BEACONS



SELECT




20740-U00

Built-in 12'
USB-C Cable



AC adapter
(Included)



Note: Temporary mounting methods
not represented in above
dimensional drawings

Features:

- Polycarbonate Base



**Polycarbonate
UV Protected**



Part #	Profile	Flash	Mounting	Pull Strength	Flash Patterns
201ZS-U00	Low	 Amber	Suction	120 lbs x 1	1 (Quad)
20740-U00			Magnetic	70 lbs x 1	
23426-U00	Medium		Vac Mag	53 lbs x 1	
23426V-U00					

Note: Not all USB-C-PD ports are Power Delivery. Before you purchase these Warning Lights please ensure your vehicle's USB-C-PD port is Power Delivery.

Recommended Accessories

Sold Separately



Power Adapter
96031




Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top seller

USB-C / AC MINIBARS

SELECT



**Polycarbonate
UV Protected**

Extruded aluminum



Part #	Profile	Lens	Flash	Mounting	Pull Strength	Flash Patterns
16150M-U00	Low	Amber	Amber	Magnetic	70 lbs x 4	1 (Quad)
16156M-U00		Clear				
16150V-U00		Amber		Vac Mag	53 lbs x 2	
16156V-U00		Clear				
✓ S16150M-U00	Slim	Amber		Magnetic	70 lbs x 4	
S16156M-U00		Clear				
S16150V-U00		Amber		Vac Mag	53 lbs x 2	
S16156V-U00		Clear				

Note: Not all USB-C-PD ports are Power Delivery. Before you purchase these Warning Lights please ensure your vehicle's USB-C-PD port is Power Delivery.

Recommended Accessories Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

USB-C AND AC SOLUTIONS



TEMPORARY MOUNTING SOLUTIONS



EST. 1969

SWS

WARNING LIGHTS INC.

TEMPORARY MOUNT APOLLO LOW PROFILE MINIBARS



Extruded aluminum



**Polycarbonate
UV Protected**

Features:

- Low 3.75" profile
- Zero EMI




	Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting	Pull Strength
✓	16312	Clear	Amber	 Amber	0.8 - 3	26	Magnetic	70 lbs x 4
	16313	Amber	Clear					
	16339	Clear	Amber					
	16349							
✓	16350	Amber	Clear				Vac Mag	53 lbs x 2
✓	16351	Clear						

Technical drawings available at: warninglightsinc.com

Recommended Replacement Solutions

Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

✓ **Top seller**

TEMPORARY MOUNT APOLLO SLIM PROFILE MINIBARS



Features:

- Ultra slim 2.5" profile
- Zero EMI




Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting	Pull Strength
S16312	Clear	Amber	Amber	0.8 - 3	26	Magnetic	70 lbs x 4
S16313	Amber	Clear					
S16339	Clear	Amber				Vac Mag	53 lbs x 2
S16349		Clear					
S16350	Amber	Clear					
S16351	Clear	Clear					

Technical drawings available at: warninglightsinc.com

Recommended Replacement Solutions

Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top Seller

TEMPORARY MOUNTING SOLUTIONS

TEMPORARY MOUNT BEACONS



UV Polycarbonate
UV Protected

SAE
CLASS
1

12
Vdc

5
YEAR
WARRANTY

	Part #	Profile	Lens/Flash	Amps	Flash Patterns	Mounting	Pull Strength
✓	200ZM-12V-A	Low	 Amber	0.1 - 1.5	3	Magnetic	70 lbs x 1
	201ZM-12V-A						
	27026						
	200SM-12V-A	Medium		0.1 - 0.5	3	Suction	120 lbs x 1
	27021						
✓	201ZS-12V-A	Low		0.1 - 1.5	15	Vac Mag	53 lbs x 1
	27001S	Medium					
✓	23400V						
	23600V	High					

Technical drawings available at: warninglightsinc.com

Recommended Replacement Solutions

Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!

✓ Top seller

TEMPORARY MOUNT KITS



Apollo Minibar Magnet Conversion Kit for Select and Fleet 96011

Apollo Minibar Vacuum Magnet Conversion Mounting Kit 96023



Pico Overmolded connector included



Apollo Minibar Magnetic Mount Conversion Kit for Fleet Plus 96024

1/2" NPT Beacons Magnet Conversion Kit 96012



1/2" NPT Beacons Magnet Conversion Kit 96007

Pico Overmolded connector included



Vac Mag Replacement Kit 96032



MOUNTING SOLUTIONS



EST. 1969

SWS


WARNING LIGHTS INC.



TRUCK BED RACK MOUNT

FOR FULLY AUTOMATED TC-12

All steel brackets are powder coated; stainless steel hardware included.





Features:

- Powder coated 1/4" (3ga) 2 x 2" steel tube frame
- Actuator Water Proof IP66
- Actuator Load Capability 786 Lbs.
- Actuator 1 year warranty
- Adjustable Bed-Mount
- Specially designed for the Fully Automated TC-12 #55100 (sold separately)



Get instant access to the product details, specs, and pricing just scan the QR code!

985BR-01





ARROWS AND TRAFFIC DIRECTORS MOUNTING SOLUTIONS

All steel brackets are powder coated; stainless steel hardware included.




UNIVERSAL L-BRACKET KIT

Titan, Orion, TC-12, and Nova




ARROW MOUNTING BRACKET KIT

Titan, Orion, and 54000 Arrow



48" ARROW MOUNTING BRACKET KIT


Titan and Orion Arrows



10" EXTENSION BRACKET KIT

Titan, Orion, and 54000

98043



PERIMETER LIGHTS MOUNTING SOLUTIONS


All aluminum brackets are anodized; stainless steel hardware included.




**PERIMETER 3 LED
LIGHthead
L-BRACKET KIT**



**PERIMETER 6 LED
LOW PROFILE LIGHthead
L-BRACKET KIT**



**PERIMETER 6 LED
ULTRA SLIM LIGHthead
L-BRACKET KIT**



**6" OVAL
BRACKET KIT
98601**




NO DRILL THIRD BRAKE LIGHT

These brackets are powder coated; stainless steel hardware included.




98088FB



98088FW

Features:

- Fits Ford F-150, F-250, and F-350 2016 to 2026 aluminum body trucks with LED or Halogen brake lights
- Prevents the need to drill holes into the vehicle or racking
- 3/16" aluminum plate construction
- Easy 2 bolt installation
- Contoured for aerodynamic downforce on leading edge of plate
- Application uses include: Predrilled holes for most SWS product mounting options
- Carbon steel top plate available for magnet mounting light (Product #98021)
- Can mount up to 48" traffic director to the bracket (needs kit #98000)



Recommended Accessories

Sold Separately



**Magnetic Mount Plate
98021**



Curious about this product?
Scan the QR code to check out
its full potential!

MINIBARS

MOUNTING SOLUTIONS


All steel brackets are powder coated; stainless steel hardware included.

APOLLO MINIBARS




98014

Bracket Kit 2.5" Riser Kit
for 98012



98012

Bracket Kit 16"
Minibar Mounting Plate




ECLIPSE MINIBARS




98087

Mounting Bracket Flat/Blind
for Eclipse Series




98000

T-Slot L Bracket



98086

Bracket Side Mounting
for Eclipse Series Mini Lightbar



BEACONS MOUNTING SOLUTIONS



All steel brackets are powder coated; stainless steel hardware included.




HIGH PROFILE BEACON BRACKETS



MOUNTING PLATE FOR OPEN BASE HIGH PROFILE BEACONS BRACKET KIT



Bracket Kit 2.5" Riser Kit for 98011



MEDIUM / LOW PROFILE BEACON BRACKETS




98017

**DRIVER SIDE
FLANGED BEACONS
BRACKET KIT**




98018

**PASSENGER SIDE
FLANGED BEACONS
BRACKET KIT**




**SMALL BEACON
MIRROR
BRACKET KIT
175**

**SMALL BEACON
BRACKET KIT
98008**



**10" EXTENSION
BRACKET KIT
98043**



**98080
STAKE POCKET
POLE MOUNT 24"**



MOUNTING SOLUTIONS



CABLES

EST. 1969

SWS

WARNING LIGHTS INC.



CABLES



3 Position
Pico Overmolded
Connector

3 Position

Part #	Description
96028	Cable 18" Pico Overmolded Connector 3pos




77250 ✓

3 Position
DT Style
Connector

3 Position

Part #	Description
✓ 77250	Cable 20' w/3pos DT
77251	Cable 30' w/3pos DT
77252	Cable 40' w/3pos DT
77253	Cable 50' w/3pos DT



722068 ✓

3 Position
DT Style
Connector



722000	Cable 2' Snow Plow Ext w/3pos DT
722001	Cable 4' Snow Plow Ext w/3pos DT
✓ 722068	Cable 10' Snow Plow Ext w/3pos DT
722069	Cable 20' Snow Plow Ext w/3pos DT
722070	Cable 30' Snow Plow Ext w/3pos DT
722071	Cable 40' Snow Plow Ext w/3pos DT
722072	Cable 50' Snow Plow Ext w/3pos DT



722088



6 Position
DT Style
Connector

6 Position

Part #	Description
722087	Cable 10' BC/AB SnowPlow Minibar Ext 6posDT
722088	Cable 20' BC/AB SnowPlow Minibar Ext 6posDT
722075	Cable 50' BC/AB SnowPlow Minibar Ext 6posDT



Twist-lock Disconnect



9 Position

Part #	Description
77200	Cable 20' Orion w/9TL
77201	Cable 30' Orion w/9TL
77202	Cable 40' Orion w/9TL
77203	Cable 50' Orion w/9TL
77204	Cable 60' Orion w/9TL
77205	Cable 70' Orion w/9TL

77212	Cable 5' Orion Ext w/9TL
77206	Cable 10' Orion Ext w/9TL
77210	Cable 15' Orion Ext w/9TL
77207	Cable 20' Orion Ext w/9TL
77208	Cable 30' Orion Ext w/9TL
77209	Cable 40' Orion Ext w/9TL
77213	Cable 60' Orion Ext w/9TL

12 Position

Part #	Description
77260	Cable 20' Fleet Titan Series 12pos DT
77261	Cable 30' Fleet Titan Series 12pos DT
77262	Cable 40' Fleet Titan Series 12pos DT
77263	Cable 50' Fleet Titan Series 12pos DT
77257	Cable 60' Fleet Titan Series 12pos DT
77258	Cable 70' Fleet Titan Series 12pos DT
77259	Cable 80' Fleet Titan Series 12pos DT

77270	Cable 10' 77504 & Titan Splits 12pos DT
77271	Cable 20' 77504 & Titan Splits 12pos DT
77272	Cable 30' 77504 & Titan Splits 12pos DT
77273	Cable 40' 77504 & Titan Splits 12pos DT

CABLES



77220 ✓



77265 ✓

12 Position
DT Style
Connector



77265-ST ✓

12 Position
DT Style
Connector



77280 ✓

Twist-lock
Disconnect

12 Position
DT Style
Connector

12 Position

Part #	Description
✓ 77220	Cable 10' Titan Fleet Ext 12pos DT
77221	Cable 20' Titan Fleet Ext 12pos DT
77222	Cable 30' Titan Fleet Ext 12pos DT
✓ 77265	Cable 20' Fleet+ Titan Series 12pos DT
77266	Cable 30' Fleet+ Titan Series 12pos DT
77267	Cable 40' Fleet+ Titan Series 12pos DT
77268	Cable 50' Fleet+ Titan Series 12pos DT
✓ 77265-ST	Cable 20' Fleet+ TitanSeries 12posDTwST
77266-ST	Cable 30' Fleet+ TitanSeries 12posDTwST
77267-ST	Cable 40' Fleet+ TitanSeries 12posDTwST
77268-ST	Cable 50' Fleet+ TitanSeries 12posDTwST

9 Position to 3 Position

Part #	Description
77282	Cable 59040 to Titan DT Conversion

9 Position to 12 Position

Part #	Description
✓ 77280	Cable Orion TL to Titan DT Conversion
77281	Cable 59041 to Titan DT Conversion

Bulk Cable

Part #	Description
77100	Cable Priced/Foot 3 conductor 16AWG
7724	Cable Priced/Foot 9 conductor

WARRANTY PROMISE

**Your Trust, Our Responsibility:**

Every product we make comes with a promise – if there's a defect in the materials or how it's made, we're here to help hassle-free.

**No Hidden Fees:**

If your products are under warranty, we'll take care of them!

**Install It Right:**

For the best product experience and to maintain your warranty, please follow our recommended installation and usage guidelines.

**Just the Facts:**

This warranty is what it says. No hidden terms or extra promises.

**We've Got Your Back:**

If something's wrong because of us, our expert team will either fix your product or replace it. Remember to use the product properly, install it as directed, and avoid altering any identification details such as serial numbers.

**Easy Returns with Field Destroy:**

Sometimes, sending back a faulty product can be a pain. So, for certain items, we've got a simpler option. If the product's faulty and under warranty, we might just ask you to take a photo of it and then safely dispose of it. Make sure to check with us before you do anything.



REQUEST AN RMA

**AT SWS WARNING LIGHTS INC.,
WE'RE PROUD OF THE PRODUCTS WE MAKE.**

If you ever face an issue, don't worry! We've got you covered with our easy-to-understand hassle-free warranty and service guide.



**Scan the QR Code
to request an RMA.**

Product Repairs - Even Out of Warranty:

*Got an older SWS product that's seen better days? Give us a shout! We'll check it out and if we can fix it, we'll let you know the cost since it's not under warranty anymore. **1-877-357-0222***

NOTES



WHAT
PROS
USE

NOTES



WHAT
PROS
USE

INDEX

Part #	Page	Part #	Page	Part #	Page	Part #	Page
60	95	57336	38	76200	67	80073	71
175	150	57342	38	77100	155	80074	71
7724	155	57348	37	77200	154	80075	71
16150	111	57354	38	77201	154	80078	73
16156	111	57360	38	77202	154	80080	73
16310	109	57366	38	77203	154	80081	73
16311	109	57372	38	77204	154	80090	146
16312	137	57424	36	77205	154	80091	146
16313	137	57430	36	77206	154	80258	74
16338	109	57436	36	77207	154	80265	74
16339	137	57442	36	77208	154	80266	74
16349	137	57448	35	77209	154	80271	72
16350	137	57454	36	77210	154	80272	72
16351	137	57460	36	77212	154	80273	72
16393	115	57466	36	77213	154	80274	72
16394	115	57472	36	77220	155	80275	72
16395	115	57518	46	77221	155	80278	74
16398	115	57524	45	77222	155	80280	74
16610	113	57530	46	77250	153	80281	74
16616	113	57536	46	77251	153	80287	74
20710	130	57542	46	77252	153	80291	146
20730	129	57548	46	77253	153	83022	76
20790	130	57924	52	77257	154	83026	76
20796	129	57936	52	77258	154	83062	76
22117	121	57948	51	77259	154	83069	76
22120	56	57960	52	77260	154	93050	92
22123	55	57972	52	77261	154	93605	55
22124	57	58000	22	77262	154	93605	56
22336	120	58001	22	77263	154	93605	57
22609	119	58002	21	77265	155	93605	58
23101	128	58003	22	77266	155	93605	60
23421	124	58008	22	77267	155	93610	58
23600	123	58014	22	77268	155	93610	59
23621	123	58018	22	77270	154	93615	91
23803	122	58019	22	77271	154	93780	100
23815	124	58022	22	77272	154	93794	99
23817	128	58024	22	77273	154	93795	99
23835	123	58025	22	77280	155	93796	99
27001	124	58050	28	77281	155	93810	83
27006	128	58055	28	77282	155	93840	84
27021	139	58056	27	77503	63	93900	89
27026	139	58057	28	77504	65	93910	89
54000	11	58084	22	77506	63	93920	90
54010	11	58086	22	77540	66	96007	140
55010	9	58087	22	80010	79	96011	140
55100	7	59000	42	80011	79	96012	140
56043	56	59010	42	80012	79	96023	140
56045	55	59020	42	80013	79	96024	140
56045	58	59042	42	80014	77	96028	153
56045	60	59050	41	80015	77	96032	140
56046	57	59051	47	80016	77	96042	55
56046	59	59056	48	80017	77	96042	57
57136	31	59080	42	80046	80	96042	60
57148	31	67301	10	80047	80	96043	58
57224	40	75028	56	80058	73	96043	59
57230	40	75031	55	80059	75	98000	145
57236	40	75032	57	80065	73	98000	148
57248	39	75033	58	80066	73	98004	149
57324	38	75034	60	80071	71	98005	149
57330	38	75035	59	80072	71	98008	150



**PROUDLY CANADIAN
OWNED & OPERATED**



INDEX

Part #	Page	Part #	Page	Part #	Page	Part #	Page
98011	149	722072	153	57754-1	20	SI6350	138
98012	148	722075	58	57754-2	20	SI6351	138
98014	148	722075	153	57754-3	20	SI6360	55
98014	149	722087	59	57760-1	20	SI6360	60
98017	150	722087	153	57760-2	20	SI6361	57
98018	150	722088	153	57760-3	19	SI6362	58
98043	145	766150	68	57760-3	20	SI6363	59
98043	150	766152	68	57766-1	20	SI6382	59
98045	145	766155	68	57766-2	20	SI6393	116
98048	145	766163	68	57766-3	20	SI6394	116
98080	150	766171	68	57772-1	20	SI6395	116
98086	148	766175	68	57772-2	20	SI6397	56
98087	148	SI6399	116	57772-3	20	SI6398	116
98601	146	10100P	114	57818-1	25	T48140	15
99202	96	10103P	114	57818-2	26	T48240	15
99216	95	16150M-U00	134	57818-3	26	T48340	15
405000	55	16150V-U00	134	57824-1	26	T60340	15
405000	56	16156M-U00	134	57824-2	26	T72340	15
405000	57	16156V-U00	134	57824-3	26	TS18140-10	16
405000	58	200A-12V-A	122	57830-1	26		
405000	59	200S-12V-A	125	57830-2	26		
405000	60	200SM-12V-A	139	57830-3	26		
405002	55	200Z-12V-A	130	57836-1	26		
405002	56	200ZM-12V-A	139	57836-2	26		
405002	57	201Z-12V-A	129	57836-3	26		
405002	58	201ZB-12V-A	129	77265-ST	155		
405002	59	201ZM-12V-A	139	77266-ST	155		
405002	60	201ZS-12V-A	139	77267-ST	155		
722000	153	201ZS-U00	133	77268-ST	155		
722001	153	204R-12V-A	127	80040-A/B	78		
722002	59	20740-U00	133	80040-A/G	78		
722068	55	20796B	129	80040-A/W	78		
722068	57	208R-12V-A	126	93930F	87		
722068	58	210S-12V-A	125	93930S	88		
722068	59	22137-AB	121	93931F	87		
722068	60	230S-12V-A	125	93931S	88		
722068	153	23400V	139	93932F	87		
722069	55	23426-U00	133	93932S	88		
722069	57	23426V-U00	133	93933F	87		
722069	58	23600V	139	93933S	88		
722069	59	26010-47	105	93934F	87		
722069	60	26010-60	106	93934S	88		
722069	153	26030-22	103	93935F	87		
722070	55	26030-47	104	93935S	88		
722070	57	27001S	139	98088FB	147		
722070	58	57448-ST	36	98088FW	147		
722070	59	57724-1	20	985BR-01	143		
722070	60	57724-2	20	SI6150	112		
722070	153	57730-1	20	SI6150M-U00	134		
722071	55	57730-2	20	SI6150V-U00	134		
722071	57	57730-3	20	SI6156	112		
722071	58	57736-1	20	SI6156M-U00	134		
722071	59	57736-2	20	SI6156V-U00	134		
722071	60	57736-3	20	SI6310	110		
722071	153	57742-1	20	SI6311	110		
722072	55	57742-2	20	SI6312	138		
722072	57	57742-3	20	SI6313	138		
722072	58	57748-1	20	SI6338	110		
722072	59	57748-2	20	SI6339	138		
722072	60	57748-3	20	SI6349	138		




**PROUDLY CANADIAN
OWNED & OPERATED**



EST. 1969
SWS

WARNING LIGHTS INC.

THE BEST CANADIAN TRAFFIC ARROWS



**WHAT
PROS
USE**



 Canada

 7695 Blackburn Parkway
Niagara Falls, Ontario L2H 0A6

Follow us:



warninglightsinc.com

 sales@warninglightsinc.com

 1.877.357.0222