



EST. 1969
SWS

WARNING LIGHTS INC.



QUICK REFERENCE GUIDE

SELECT



WHAT PROS USE
WARNINGLIGHTSINC.COM

7695 Blackburn Parkway Niagara Falls, ON L2H 0A6
1-877-357-0222 - sales@warninglightsinc.com

Reliable visibility, practical performance, Smart value!



SELECT

Choosing the right safety lighting solution should feel simple. The Select Tier is designed for customers who need dependable, professional-grade products without adding unnecessary complexity or cost. It gives your team the visibility, quality, and support they need to work safely and confidently, while staying aligned with practical budgets and everyday operational needs.



**PRODUCTS 100%
CANADIAN MADE**

Proudly Canadian and locally manufactured, Select products are 100% Canadian-made and built for real work environments where reliability matters. Whether you are outfitting a smaller fleet, replacing existing equipment, or looking for a trusted starting point for your safety lighting program, Select delivers the right balance of performance, simplicity, and value.



Built with the same trusted SWS quality, **Select products use high-quality components and professional grade craftsmanship across the lineup.** The **3-year warranty** reflects the practical, essential-performance tier, not a compromise in how the product is built. With Select, you get dependable performance, reliable visibility, and the confidence of SWS quality at the right level for the job.

- **Cost-effective solutions without sacrificing quality**
- **Trusted support from a team that understands your application**
- **Canadian-made products built with care and accountability**

**Looking for more advanced features?
Explore our full product tiers on our website
warninglightsinc.com
and discover the solution that best fits your operation**



FLEET



FLEET PLUS

TABLE OF CONTENTS

FREEWAY TC-12 FULLY AUTOMATED ARROW BOARD	3
NON-FREEWAY UTILITY TC-12 ARROW BOARD	5
THE NOVA ARROW BOARD	6
54010 TRAFFIC ARROW	7
TITAN TRAFFIC ARROWS	9
TITAN TRAFFIC DIRECTORS	10
SLIM DUAL COLOUR LED MINIBAR	11
LOW PROFILE DUAL COLOUR LED MINIBAR	12
SLIM PROFILE LED MINIBAR	13
LOW PROFILE LED MINIBAR	14
HIGH PROFILE LED BEACONS	15
MEDIUM PROFILE LED BEACONS	16
LOW PROFILE LED BEACONS	18
USB-C/AC LED MINIBARS	19
USB-C/AC LED BEACONS	20
NO DRILL THIRD BRAKE LIGHT BRACKET	21
NOTES	22

MEET YOUR TEAM

EST. 1969
SWS
WARNING LIGHTS INC.



Matt Beattie

Factory Representative and
Solutions Advisor

✉ m.beattie@warninglightsinc.com
☎ 1-877-357-0222 Ext.228
☎ 905-351-0489



Colin Moore

Factory Representative and
Solutions Advisor

✉ c.moore@warninglightsinc.com
☎ 1-877-357-0222 Ext.227
☎ 365-324-0222



Matt Venutolo

Factory Representative and
Solutions Advisor

✉ mattv@warninglightsinc.com
☎ 1-877-357-0222 Ext.205
☎ 289-257-0554



Cameron Robertson

Factory Representative and
Solutions Advisor

✉ cameron@warninglightsinc.com
☎ 1-877-357-0222 Ext.212
☎ 548-328-7695

FREEWAY TC-12

FULLY AUTOMATED ARROW BOARD FOR RACK MOUNT

Conforms to the Ontario Traffic Manual Book 7



Features:

- For freeway use
- Automated arrow wings
- Actuators (1 year warranty)
- TC-12 Truck Bed Rack Mount #985BR-01 (sold separately)
- IP67 and IP69K LED modules
- Industry standard grommet mount LED modules
- Dual optic lens for short and long range
- Polycarbonate UV protected Lens
- AutoDim and manual dim
- DT style connectors
- Anodized aluminum with 3M retro reflective material



In-Cab Controller
(included)
77506



Part #	Amps	Lumens	# Modules	Flash Patterns	Dimension	Mounting	Hardware
55100	4.2	4320	14	6	63" x 33"	Rack-Mounted	Stainless Steel




No need to search,
just scan the QR code to visit
the product page instantly!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com





Recommended Cable, Mounting and Replacement Solutions

Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'



Pin Connector
DT Style 3 Position



Truck Bed Rack Mount 985BR-01



Replacement Module 79909




Replacement Grommet 4" 79920



NON-FREEWAY UTILITY TC-12 ARROW BOARD

Conforms to the Ontario Traffic Manual Book 7


Features:

- IP67 and IP69K LED modules
- Polycarbonate lens with UV protection
- AutoDim
- DT style connectors
- Anodized aluminum with 3M retro reflective material
- Magnetized arrow flaps
- Manually select pattern
(Left, Right, Warning bar)



Part #	Amps	Lumens	# Modules	Weight	Length	Height	Hardware
55010	4.2	4320	12	28 Lbs	31"	25"	Stainless Steel

Cable, Controller, Mounting & Replacement Solutions

Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'


 Pin Connector
 DT Style 3 Position

**On/off switch
766150**

**L Bracket Kit
98000**

**Replacement
Module
79909**


**Replacement
Grommet 4"
79920**

 No need to search,
 just scan the QR code to visit
 the product page instantly!

Need additional features?

 For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com


THE NOVA ARROW BOARD



Features:

- IP67 and IP69K LED modules
- Polycarbonate lens with UV protection
- AutoDim and manual dim
- DT style connectors
- Anodized aluminum
- Built in 40' cable per board
- Comes as a set of 2 boards
- Multi-lane one way street director

6 Flash Patterns:

- Left (X2)
- Right (X2)
- Combined warning flash (X2)



In-Cab Controller
(included)
77506
(3 Year Warranty)

Part #	Amps	Lumens	# Modules per board	Length	Height	# of Patterns	77506 Controller Channel
67301	4.2	4320	10	22.20"	44.20"	6	B

Recommended Mounting and Replacement Solutions

Sold Separately



Replacement Module 79871



Replacement 77506 Controller Connector 88050



No need to search,
just scan the QR code to visit
the product page instantly!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



54XXX SERIES

TRAFFIC ARROW



Features:

- Meets specifications for The Ministry of Transportation of Quebec, paragraph 4.37-1 Volume 5
- IP67 and IP69K LED modules
- MUTCD and CA13 compliant modules
- Polycarbonate UV protected
- AutoDim
- DT style connectors
- UV stabilized, impact resistant ABS plastic body



Switch (included)
766155



Part #	Amps	Lumens	# of Modules	Weight	Dimensions (inches) H x L x W	Dimensions (millimeters) H x L x W	# of Patterns
54010	5.2	4680 Max	15	25 Lbs	32.625"x62.5"x4.375"	828.68x1587.5 x111.125	3




No need to search,
just scan the QR code to visit
the product page instantly!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com





54010 3 Flash Patterns:



Cable, Mounting & Replacement Solutions
Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'



Pin Connector
DT Style 3 Position



Universal Arrow
Bracket Kit
98045



Back Rack
Extension
98043



Replacement
Module
79871

570XX SERIES

TITAN TRAFFIC ARROWS

TITAN
 SERIES


3 Flash Patterns:

- Left
- Right
- Centre Out



Switch (included)
766155

Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# Of Modules in Shaft	# Of Modules Per Arm	Amps
	Length	Height	Length	Height				
57024-1	27	12.5	685.8	317.5	Amber	4	1	0.5-3
57024-2		22	685.8	558.8			2	0.5-4
57036-1		12.5	977.9	317.5		6	1	0.5-3.5
57036-2	38.5	22	977.9	558.8			2	0.5-4.5
57036-3		30.5	977.9	774.7			3	0.5-5.5
57042-1	44.25	12.5	1123.95	317.5		7	1	0.5-4
57042-2		22	1123.95	558.8			2	0.5-5
57042-3		30.5	1123.95	774.7			3	0.5-6
57048-1	50	12.5	1270	317.5		8	1	0.5-4.5
57048-2		22	1270	558.8			2	0.5-5.5
57048-3		30.5	1270	774.7			3	0.5-6.5
57060-1	61.5	12.5	1562.1	317.5		10	1	1-5
57060-2		22	1562.1	558.8			2	1-6
57060-3		30.5	1562.1	774.7			3	1-7
57072-1	73	12.5	1854.2	317.5		12	1	1-6
57072-2		22	1854.2	558.8			2	1-7
57072-3		30.5	1854.2	774.7			3	1-8

Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- DT style connectors
- Anodized aluminum body
- T-Slots with easy access point
- Switch included



LED Modules available:



Mounting, Cable & Replacement Solutions

Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'

Pin Connector
DT Style 3 Position

L Bracket Kit 98000



Replacement Modules

79906	Amber module with 4" leads
79906-26	Amber module with 26" leads

79915	Replacement Clips
Set of 5	



Curious about this product?
Scan the QR code to check out
its full potential!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



572XX SERIES TITAN TRAFFIC DIRECTORS

TITAN
S E R I E S




Features:

- IP67 and IP69K LED modules
- Polycarbonate lenses with UV protection
- DT style connectors
- Anodized aluminum body
- T-Slots with easy access point
- Switch included



LED Modules
available:



Part #	Dimensions (inches)		Dimensions (millimeters)		Flash	# of Modules in Shaft	Amps
	Length	Height	Length	Height			
57224	23.625	2.125	600	54	Amber	4	0.25-2
57230	29.375		746			5	0.25-2.5
57236	35.125		892			6	0.25-3
57248	40.875		1,038			8	0.5-4

Mounting, Cable & Replacement Solutions

Sold Separately

Main Power Cable

Part #	Length
77250	20'
77251	30'
77252	40'
77253	50'



L Bracket Kit 98000



Replacement Modules



Replacement Clips 79915 Set of 5



Curious about this product?
Scan the QR code to check out
its full potential!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




THE APOLLO 16" SLIM DUAL COLOUR LED MINIBAR



S16199

Features:

- Ultra slim 2.5" profile
- T-slot mounting
- Zero EMI
- Individual colour control



Extruded aluminum



**Polycarbonate
UV protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
S16192	Clear	Clear	White/Blue	1.1-2.8	12	Permanent
S16193			Red/White			
S16194			Amber/White			
S16195			Amber/Red			
S16196			White/Green			
S16198			Amber/Green			
S16199			Amber/Blue			

Recommended Switch & Mounting Solutions

Sold Separately



**Switch Kit
766171**



**Riser Kit
98014**



**Mounting Plate
98012**

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




THE APOLLO 16" LOW PROFILE DUAL COLOUR LED MINIBAR



16194

Features:

- Low 3.75" profile
- T-slot mounting
- Zero EMI
- Individual colour control



Extruded aluminum



**Polycarbonate
UV protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
16192	Clear	Clear	White/Blue	1.1-2.8	12	Permanent
16193			Red/White			
16194			Amber/White			
16195			Amber/Red			
16196			White/Green			
16198			Amber/Green			

Recommended Switch & Mounting Solutions

Sold Separately



Switch Kit
766171



Riser Kit
98014



Mounting Plate
98012

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




THE APOLLO 16" SLIM PROFILE LED MINIBAR



S16156

Features:

- Ultra slim 2.5" profile
- T-slot mounting
- Quick disconnect
- Zero EMI



Extruded aluminum



**Polycarbonate
UV protected**



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
S16150	Amber	Amber	 Amber	0.8 - 3	12	Permanent
S16156	Clear	Clear				

Recommended Switch & Mounting Solutions

Sold Separately



Switch Kit
766171



Riser Kit
98014



Mounting Plate
98012

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




THE APOLLO 16" LOW PROFILE LED MINIBAR



Features:

- Low 3.75" profile
- T-slot mounting
- Quick disconnect
- Zero EMI



Part #	Dome	Lens	Flash	Amps	Flash Patterns	Mounting
16150	Amber	Clear	Amber	0.8 - 3	12	Permanent
16151	Blue	Blue	Blue			
16156	Clear	Clear	Amber			
16157			Blue			

Recommended Switch & Mounting Solutions *Sold Separately*



Switch Kit
766163



Riser Kit
98014



Mounting Plate
98012

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




HIGH PROFILE LED BEACONS


23626
Features:

- Polycarbonate base
- Low EMI


**Polycarbonate
UV protected**





Part #	Lens	Flash	Amps	Mount	Flash Patterns
23625	Clear	Amber	0.1-1.5	Magnetic	6
23626	Amber				


210A-12V-A
Features:

- Flanged polycarbonate base
- Low EMI



**Polycarbonate
UV protected**

Part #	Lens	Flash	Amps	Mount	Flash Patterns
23620	Clear	Amber	0.1-1.5	Permanent	6
23621	Amber				
210A-12V-A	Amber				


23620


Recommended Switch & Permanent Mounting Solutions (for magnetic mounting, see pg. 21)
Sold Separately


**Switch Kit
766163**
**Back Rack
Extension
98043**

For Flanged Beacon
**98017 Driver Side
98018 Passenger Side**

For open bottom beacon
**98005 Driver Side
98004 Passenger Side**

**Mounting Plate
98011**
Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com




MEDIUM PROFILE LED BEACONS


23425
Features:

- Polycarbonate base


**Polycarbonate
UV protected**



Part #	Lens	Flash	Amps	Mount	Flash Patterns
23425	Clear	Amber	0.1-1.5	Magnetic	6
23426	Amber				


23421
Features:

- Polycarbonate base


**Polycarbonate
UV protected**

Part #	Lens	Flash	Amps	Mount	Flash Patterns
23420	Clear	Amber	0.1-1.5	Permanent	6
23421	Amber				



Recommended Switch & Permanent Mounting Solutions (for magnetic mounting, see pg. 21)

Sold Separately



Switch Kit
766163

Back Rack
Extension
98043



98017 Driver Side
98018 Passenger Side

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



MEDIUM PROFILE LED BEACONS

210SM-12V-A


Features:

- Polycarbonate base with a stainless steel banding ring



**Polycarbonate
UV protected**

Part #	Lens	Flash	Amps	Mount	Flash Patterns
210SM-12V-A	Amber	Amber	0.1-1.5	Magnetic	6
210SM-12V-CA	Clear				



210S-12V-A



Features:

- Polycarbonate base with a stainless steel banding ring



**Polycarbonate
UV protected**

Part #	Lens	Flash	Amps	Mount	Flash Patterns
210S-12V-A	Amber	Amber	0.1-1.5	Permanent	6
210S-12V-CA	Clear				



Recommended Switch & Permanent Mounting Solutions (for magnetic mounting, see pg. 21)
Sold Separately



Switch Kit
766163

Back Rack
Extension
98043




98017 Driver Side
98018 Passenger Side

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



LOW PROFILE LED BEACONS





Part #	Lens	Flash	Amps	Base	Mount	Flash Patterns
20720	Amber	 Amber	0.1-1.5	Die-cast zinc	Magnetic	6
20726	Clear			Polycarbonate		
20740	Amber					
20746	Clear					

Polycarbonate
UV protected

SAE
CLASS
1

12
Vdc

3
YEAR
WARRANTY



Part #	Lens	Flash	Amps	Base	Mount	Flash Patterns
20710	Amber	 Amber	0.1-1.5	Die-cast zinc	Permanent	6
20716	Clear			Polycarbonate		
20730	Amber					
20736	Clear					

Polycarbonate
UV protected

SAE
CLASS
1

12-24
Vdc

3
YEAR
WARRANTY

Recommended Switch & Permanent Mounting Solutions (for magnetic mounting, see pg. 21)
Sold Separately



Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



USB - C / AC MINIBARS



**Polycarbonate
UV protected**



Extruded aluminum



Part #	Profile	Lens	Flash	Mounting	Pull Strength	Flash Patterns
16150M-U00	Low	Amber		Magnetic	70 lbs x 4	1 (Quad)
16156M-U00		Clear				
16150V-U00		Amber		Vac Mag	53 lbs x 2	
16156V-U00		Clear				
S16150M-U00	Slim	Amber		Magnetic	70 lbs x 4	
S16156M-U00		Clear				
S16150V-U00		Amber		Vac Mag	53 lbs x 2	
S16156V-U00		Clear				

Note: Not all USB-C-PD ports are power delivery. Before you purchase these warning lights please ensure your vehicle's USB-C-PD port is power delivery.

Recommended Accessories

Sold Separately



Curious about this product?
Scan the QR code to check out
its full potential!



Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions, call us 1-877-357-0222 or visit: warninglightsinc.com



USB-C / AC LED BEACONS




20740-U00

Built-in 12'
USB-C cable



AC adapter
(Included)



Note: Temporary mounting methods
not represented in above
dimensional drawings

Features:

- Polycarbonate base



**Polycarbonate
UV protected**



Part #	Profile	Flash	Mounting	Pull Strength	Flash Patterns
201ZS-U00	Low	 Amber	Suction	120 lbs x 1	1 (Quad)
20740-U00			Magnetic	70 lbs x 1	
23426-U00	Medium		Vac Mag	53 lbs x 1	
23426V-U00					

Note: Not all USB-C-PD ports are power delivery. Before you purchase these warning lights
please ensure your vehicle's USB-C-PD port is power delivery.

Recommended Accessories

Sold Separately



Power adapter
96031



Curious about this product?
Scan the QR code to check out
its full potential!

Need additional features?

For more features and expanded capabilities, our Fleet and Fleet Plus tiers offer expanded product solutions,
call us 1-877-357-0222 or visit: warninglightsinc.com




NO DRILL

THIRD BRAKE LIGHT

These brackets are powder coated; stainless steel hardware included.




98088FB



98088FW

Features:

- Fits Ford F-150, F-250, and F-350 2016 to 2026 aluminum body trucks with LED or Halogen brake lights
- Prevents the need to drill holes into the vehicle or racking
- 3/16" aluminum plate construction
- Easy 2 bolt installation
- Contoured for aerodynamic downforce on leading edge of plate
- Application uses include: Predrilled holes for most SWS product mounting options
- Carbon steel top plate available for magnet mounting light (Product #98021)
- Can mount up to 48" traffic director to the bracket (needs kit #98000)



Recommended Accessories

Sold Separately



Magnetic Mount Plate
98021

NOTES



WHAT
PROS
USE



Looking for More? Explore our Product Guides

Get a digital copy instantly or
request a copy delivered to
your doorstep free of charge!
Just scan the QR code:



7695 Blackburn Parkway
Niagara Falls, Ontario L2H 0A6



EST. 1969
SWS

WARNING LIGHTS INC.

 **905-357-0222**

1-877-357-0222

 **sales@warninglightsinc.com**

warninglightsinc.com



**PROUDLY CANADIAN
OWNED & OPERATED**

